Tender Document No.: 125102023-1C

PROCUREMENT OF RENNOVATION SERVICES INCLUDING SUPPLY AND INSTALLATION OF EQUIPMENT ON TURNKEY BASIS AT e-EARN INNOVATION-HUB BUILDING, CHAMAN ZAR ROAD RAWALPINDI

EGOV - 03



Punjab Information Technology Board (PITB)

13th Floor, Arfa Software Technology Park (ASTP), 346-B, Ferozepur Road, Lahore, Pakistan Phone: (+ 92) (42) (99000000), Fax: (+92) (42) (99232123)

URL: www.pitb.gov.pk

Table of Contents

| SECTION-I: INVITATION TO BIDS | 4 |
|--|----|
| SECTION-II: INSTRUCTIONS TO BIDDERS (ITB) | 5 |
| 2.1. Introduction | 5 |
| 2.1.1 Scope of Bid | 5 |
| 2.1.2 Source of Funds | 5 |
| 2.1.3 Eligible Bidders | 5 |
| 2.1.4. Cost of Bidding | 8 |
| 2.1.5. One person one bid | 8 |
| 2.1.6. Work Plan/Deputation Plan | |
| 2.2. THE BIDDING DOCUMENTS | 9 |
| 2.2.1. Content of Bidding Documents | 9 |
| 2.2.2. Clarification of Bidding Documents | 10 |
| 2.2.3. Amendment of Bidding Documents | |
| 2.3. Preparation of Bids | |
| 2.3.1. Language of Bid | 12 |
| 2.3.2. Bid Form | |
| 2.3.3. Bid Prices | 12 |
| 2.3.4. Bid Currencies | 12 |
| 2.3.5. Documents Establishing Bidder's Eligibility and Qualification | 13 |
| 2.3.6. Bid Security | |
| 2.3.7. Period of Validity of Bids | |
| 2.3.8. Format and Signing of Bid | |
| 2.3.9. Minimum Wage rates/all applicable taxes | |
| 2.4. SUBMISSION OF BIDS. | |
| 2.4.1 Sealing and Marking of Bids | |
| 2.4.2 Deadline for Submission of Bids | |
| 2.4.3. Late Bids | |
| 2.4.4. Modification and Withdrawal of Bids | |
| 2.5. OPENING AND EVALUATION OF BIDS | 18 |
| 2.5.1. Opening of Bids by the Procuring Agency | |
| 2.5.2. Confidentiality | |
| 2.5.3. Clarification of Bids | |
| 2.5.4. Preliminary Examination | |
| 2.5.5. Examination of Terms and Conditions; Technical Evaluation | |
| 2.5.6. Correction of Errors. | 23 |
| 2.5.7. Conversion to Single Currency | |
| 2.5.8. Post-qualification & Evaluation of Bids | |
| 2.5.9. Contacting the Procuring Agency | |
| 2.5.10. Grievance Redressal | |
| 2.6. AWARD OF CONTRACT | |
| 2.6.1. Notification of Award | |
| 2.6.2. Performance Guarantee | |
| 2.6.3. Signing of Contract/ Issuance of work Order | |
| 2.6.4. Award Criteria | |
| 2.6.5. Procuring Agency's Right to Vary Quantities at Time of Award | |
| 2.6.6. Procuring Agency's Right to Accept or Reject All Bids | |
| 2.6.7. Re-Bidding | |
| 2.6.8. Corrupt or Fraudulent Practices | |
| 2.6.9. Quantity and volume of the goods to be considered in mind | |
| [Framework Contract Modality] | |
| SECTION-III. TECHNICAL SPECIFICATIONS | |
| | |
| 3.1. TECHNICAL SPECIFICATIONS. | 33 |
| 3.2 Scope of Services | 56 |
| SECTION-IV: BID DATA SHEET | 59 |

| 4.1. BID DATA SHEET (BDS) | 59 |
|---|----|
| SECTION-V: GENERAL CONDITIONS OF CONTRACT | 64 |
| 1. Definitions | |
| 2. APPLICATION | |
| 3. COUNTRY OF ORIGIN | |
| 4. Standards | |
| 5. Use of Contract Documents and Information; Inspection and Audit by the procuring agenc | |
| 6. Performance Guarantee | |
| 7. INCIDENTAL MATERIAL | |
| 8. PAYMENT | |
| 9. Prices | |
| 10. CHANGE ORDERS | |
| 11. CONTRACT AMENDMENTS | |
| 12. ASSIGNMENT | |
| 13. SUB-CONTRACTS | |
| 14. DELAYS IN THE SERVICE PROVIDER'S PERFORMANCE | |
| 15. Liquidated Damages | |
| 16. TERMINATION FOR DEFAULT | |
| 18. Termination for Insolvency | |
| 18. TERMINATION FOR INSOLVENCY 19. TERMINATION FOR CONVENIENCE | |
| 20. RESOLUTION OF DISPUTES | |
| 21. GOVERNING LANGUAGE | |
| 22. APPLICABLE LAW | |
| 23. Notices | |
| 24. Taxes and Duties | |
| | |
| SECTION-VI. SPECIAL CONDITIONS OF CONTRACT | |
| SPECIAL CONDITIONS OF CONTRACT | |
| 1. Definitions (GCC Clause 1) | |
| 2. Performance Guarantee (GCC Clause 6) | |
| 3. Incidental Materials (GCC Clause 7) | |
| 4. Payment (GCC Clause 8) | |
| 5. Prices (GCC Clause 9) | |
| 6. Liquidated Damages (GCC Clause 15) | |
| 7. Resolution of Disputes (GCC Clause 20) | |
| 8. Governing Language (GCC Clause 21) | |
| 9. Applicable Law (GCC Clause 22) | |
| 10. Notices (GCC Clause 23) | |
| SECTION-VII. SCHEDULE OF REQUIREMENTS/WORK PLAN/ DEPUTATION PLAN | 76 |
| SECTION-VIII: SAMPLE FORMS | 77 |
| 8.1 Bid Form | 78 |
| 8.2 BIDDER'S JV MEMBERS INFORMATION FORM (IF APPLICABLE) | |
| 8.3. BIDDER PROFILE FORM | |
| 8.4. General Information Form. | |
| 8.5. AFFIDAVIT | |
| 8.6. Performance Guarantee Form | |
| 8.7. TECHNICAL BID FORM | |
| 8.8. Contract Form | |
| 8.9. FINANCIAL BID FORM/PRICE SCHEDULE | |
| 8.10. Bid Security Form | |
| SECTION IX. CHECK I IST | 92 |

Section-I: Invitation to Bids

BIDDING DOCUMENTS FOR THE PROCUREMENT OF RENOVATION SERVICES INCLUDING SUPPLY AND INSTALLATION OF EQUIPMENT ON TURNKEY BASIS AT EEARN INNOVATION-HUB BUILDING, CHAMAN ZAR ROAD RAWALPINDI (EGOV – 03)

1. Sealed Bids for the provision of RENOVATION SERVICES INCLUDING SUPPLY AND INSTALLATION OF EQUIPMENT ON TURNKEY BASIS AT eEARN INNOVATION-HUB BUILDING, CHAMAN ZAR ROAD RAWALPINDI are invited from Bidders i.e., firms/companies/sole proprietor/ general order Service Providers/ (JVs, if applicable) etc. engaged in trading, registered with relevant Registration Authorities and Tax Departments/ Authorities (Income Tax, Sales Tax & Punjab Sales Tax etc.). The Bids shall be received as per single stage two envelope procedures.

| Lot | Description | Estimated | Site Location | Bid Security |
|-----|---|------------|---------------|--------------|
| No. | | Cost | QR | (Fixed) |
| 1 | RENOVATION SERVICES INCLUDING SUPPLY AND INSTALLATION OF EQUIPMENT ON TURNKEY BASIS AT e-EARN INNOVATION-HUB BUILDING, RAWALPINDI | 65,000,000 | | 1,300,000 |

- 2. All Bids must be accompanied by a Bid Security of the estimated price, as mentioned in the Table above, and in the form of CDR/Bank Guarantee / Demand Draft / Pay Order. Late Bids shall be rejected.
- **3.** The complete Bids must be delivered into the Tender Box, placed at reception of 13th Floor, Arfa Software Technology Park (ASTP), 346-B, Ferozepur Road, Lahore, Pakistan, as per the following schedule:

| Bid Submission Date & Time | 24 November, 2023 @ 12:00 PM | | |
|------------------------------|---|--|--|
| Bid Opening Date & Time | 24 November, 2023 @ 12:30 PM | | |
| Site Visit Date & Time | 01 November, 2023 | | |
| Site visit pate & Time | (10:00 AM to 16:00 PM) | | |
| Due Did Meeting Date Time 9 | 02 November, 2023 @ 11:00 AM | | |
| Pre-Bid Meeting Date, Time & | 13th Floor, Arfa Software Technology Park (ASTP), | | |
| *13CC | 346 B, Ferozepur Road, Lahore. | | |

4. Bidding Documents are immediately available after date of publication. Punjab Information Technology Board will not be responsible for any cost or expense incurred by Bidders in connection with the preparation or delivery of Bids. In case of official holiday on the day of submission, next day will be treated as closing date. The Bidding document carrying all details can also be downloaded from Punjab Information Technology Board's website https://pitb.gov.pk/tendernotices, and website of Punjab Procurement Regulatory Authority http://ppra.punjab.gov.pk.

Punjab Information Technology Board (PITB)

13th Floor, Arfa Software Technology Park (ASTP), 346-B, Ferozepur Road, Lahore, Pakistan Phone: (+ 92) (42) (99000000), Fax: (+92) (42) (99232123)

URL: www.pitb.gov.pk

Section-II: Instructions to Bidders (ITB)

Note: - All the procurement procedures shall be conducted in accordance with Punjab Procurement Authority Act-2009 and Punjab Procurement Rules-2014. In case of any conflict between the provision of this document and PPRA Act-2009/ PPRA Rules-2014, the later shall prevail.

2.1. Introduction

2.1.1 Scope of Bid

i) The Procuring Agency (PA), as indicated in the Bid Data Sheet (BDS) invites Bids for the provision of RENOVATION SERVICES INCLUDING SUPPLY AND INSTALLATION OF EQUIPMENT ON TURNKEY BASIS AT eEARN INNOVATION-HUB BUILDING, CHAMAN ZAR ROAD RAWALPINDI, as specified in the Section-IV Bid Data Sheet (BDS) and Section VII- Schedule of Requirements. The successful Bidders will be expected to provide the services for the specified period and timeline(s) as stated in the BDS.

2.1.2 Source of Funds

i) The Procuring Agency named in the Bid Data Sheet has received budget from the Government of Punjab. The Procuring Agency intends to apply the provided funds/ a portion of this budget to make eligible payments under the contract for which the Invitation to bids has been issued.

2.1.3 Eligible Bidders

- i) The Invitation to Bids is open to all suppliers i.e., association of firms/companies/sole proprietor/ general order suppliers / (JV, if applicable), registered with relevant Registration Authorities and Tax Departments/ Authorities (Income Tax, Sales Tax & Punjab Sales Tax etc.), except as provided hereinafter.
- ii) Bidders should not be associated, or have been associated in the past, directly or indirectly, with a firm or any of its affiliates which have been engaged by the Procuring Agency to provide consultancy services for the preparation of the design, specifications, and other documents to be used for the procurement of the services to be purchased under this Invitation to Bids.
- iii) Government-owned enterprises may participate only if they are duly/legally authorized in this regard by the respective/relevant competent forum/authority.
- iv) Bidders shall not be under a declaration of blacklisting by any Government department/other Procuring Agency or by Punjab Procurement Regulatory Authority (PPRA).

v) In the case of a joint venture, consortium, or association, all members shall be jointly and severally liable for the execution of the Contract in accordance with the terms and conditions of the Contract. The joint venture, consortium, or association shall nominate a Lead Member as nominated in the BDS, who shall have the authority to conduct all business for and on behalf of any and all the members of the joint venture, consortium, or association during the Bidding process, and in case of award of contract, during the execution of contract.

[It is upon procuring agency to decide the participation of Bidders in J.V mode. The limit on the number of members of JV or Consortium or Association may be prescribed in BDS, in accordance with the guidelines issued by the PPRA].

- vi) The appointment of Lead Member in the joint venture, consortium, or association shall be confirmed by submission of a valid Power of Attorney to the Procuring Agency.
- vii) Any agreement that forms a joint venture, consortium or association shall be required to be submitted as part of the Bid and shall be attested.
- viii) Any bid submitted by the joint venture, consortium or association shall indicate the part of proposed contract to be performed by each party and each party shall be evaluated or post qualified with respect to its contribution only and the responsibilities of each party and shall not be substantially altered without prior written approval of the Procuring Agency and in line with any instructions issued by the Authority.
 - ix) The invitation for Bids is open to all prospective bidder/service provider subject to any provisions or licensing/regulatory requirements issued by the respective national/ provincial professional statutory body established for that particular trade or business.
 - x) A Bidder shall not have a conflict of interest. All Bidders found to have a conflict of interest shall be disqualified. A Bidder may be considered to have a conflict of interest with one or more parties in this Bidding process, if they:
 - a) are associated or have been associated in the past, directly or indirectly with a firm or any of its affiliates which have been engaged by the Procuring Agency to provide consulting services for the preparation of the

- design, specifications and other documents to be used for the procurement of the services to be purchased under this Invitation for Bids.
- b) have controlling shareholders in common; or
- c) receive or have received any direct or indirect subsidy from any of them; or
- d) have the same legal representative for purposes of this Bid; or
- e) have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the Bid of another Bidder, or influence the decisions of the Procuring Agency regarding this Bidding process; or
- f) submit more than one Bid in this Bidding process, However, this does not limit the participation of subcontractors in more than one Bid.

xi) A Bidder may be ineligible if -

- (a) the Bidder is declared bankrupt or, in the case of company or firm, insolvent;
- (b) payments in favor of the Bidder is suspended in accordance with the judgment of a court of law other than a judgment declaring bankruptcy and resulting, in accordance with the national laws, in the total or partial loss of the right to administer and dispose of its property;
- (c) legal proceedings are instituted against such Bidder involving an order suspending payments and which may result, in accordance with the national laws, in a declaration of bankruptcy or in any other situation entailing the total or partial loss of the right to administer and dispose of the property;
- (d) the Bidder is convicted, by a final judgment, of any offence involving professional conduct;
- (e) The Bidder is debarred and blacklisted due to involvement in corrupt and fraudulent practices in accordance with the provision of section 17A of PPRA Act, 2009 and Rule-21, read with Schedule appended with, Punjab Procurement Rules, 2014.
- (f) The Bidder is debarred and blacklisted in general (i.e. to the extent of all public procurement) due to consistent

- performance failure in accordance with the section 17A of PPRA Act, 2009 and Rule-21, read with Schedule appended with, Punjab Procurement Rules, 2014.
- (g) The firm, Service Provider and contractor is blacklisted/ debarred by any international organization.
- xii) Bidders shall provide to the Procuring Agency evidence of their eligibility, proof of compliance with the necessary legal requirements to carry out the contract effectively.
- xiii) Bidders shall provide such evidence of their continued eligibility satisfactory to the Procuring Agency, as the Procuring Agency shall reasonably request.
- xiv) Bidders shall submit proposals relating to the nature, conditions and modalities of sub-contracting wherever the sub-contracting of any elements of the contract amounting to more than ten percent of the Bid price is envisaged.

2.1.4. Cost of Bidding

i) The Bidder shall bear all costs associated with the preparation and submission of its Bid, and the Procuring Agency named in the Bid Data Sheet, hereinafter referred to as "the Procuring Agency," will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the Bidding process-

2.1.5. One person one bid

- i) As per Rule 36A of Punjab Procurement Rules 2014, a Bidder shall submit only one Bid in the same bidding process, either individually as a Bidder or as a member in a joint venture or any similar arrangement.
- ii) No Bidder can be a sub-contractor while submitting a Bid individually or as a member of a joint venture in the same Bidding process.
- iii) A Bidder, if acting in the capacity of sub-contractor in any Bid, shall not submit bid for the same.

2.1.6. Work Plan/Deputation Plan

i) The Bidder shall be responsible for the provision of bids as per work plan/deputation plan formulated by the procuring agency and procuring agency may also, from time to time amend the same as per its requirement.

2.2. The Bidding Documents

2.2.1. Content of Bidding Documents

- The services required, Bidding procedures, and contract terms are prescribed in the Bidding documents. The Bidding documents, inter alia, include:
 - (a) Invitation to Bids
 - (b) Instructions to Bidders (ITB)
 - (c) Technical Specifications
 - (d) Bid Data Sheet
 - (e) General Conditions of Contract (GCC)
 - (f) Special Conditions of Contract (SCC)
 - (g) Schedule of Requirements
 - (h) Bid Form
 - (i) Bidder Profile Form
 - (i) General Information Form
 - (k) Affidavit
 - (I) Bid Security Form
 - (m) Technical Bid Form
 - (n) Contract Form
 - (o) Financial Bid Form / Price Schedule
 - (p) Performance Guarantee Form
 - (q) Check List
- ii) The Bidder is required to examine all instructions, forms, terms, and specifications in the Bidding documents. Failure to furnish all information as required by the Bidding documents or to submit a Bid not substantially responsive to the Bidding documents in every respect will be at the Bidder's risk and may result in the rejection of its Bid.
- iii) In case of discrepancies between the Invitation to Bid and the Bidding Documents listed in ITB 2.2.1 (i) above, the said

- Bidding Documents, not in conflict with any provision of PPR-14, will take precedence.
- iv) The Procuring Agency is not responsible for the completeness of the Bidding Documents and their addenda, if they were not obtained directly from the Procuring Agency or from its website or website of PPRA. Re-confirming from the Procuring Agency that all pages/ contents have been properly and clearly received is the prime responsibility of the Bidder.

2.2.2. Clarification of Bidding Documents

- i) A prospective Bidder requiring any clarification of the Bidding documents may notify the Procuring Agency in writing or by email at the Procuring Agency's address indicated in Invitation to Bid/ Tender Notice/ Advertisement. The Procuring Agency will respond in writing to any request for clarification of the Bidding documents which it receives no later than seven (7) days prior to the deadline for the submission of Bids prescribed in the Bid Data Sheet. Written copies of the Procuring Agency's response (including an explanation of the query but without identifying) will be sent to all prospective Bidders that have received the Bidding documents.
- ii) A prospective Bidder requiring any clarification of the Bidding Documents may notify the Procuring Agency in writing or in electronic form that provides record of the content of communication at the Procuring Agency's address indicated in the BDS.
- iii) The Procuring Agency will within three (3) working days after receiving the request for clarification, respond in writing or in electronic form to any request for clarification provided that such request is received not later than seven (7) days prior to the deadline for the submission of Bids. As prescribed in ITB 2.2.2 (i), above. However, this clause shall not apply in case of alternate methods of Procurement.
- iv) Copies of the Procuring Agency's response will be forwarded to all identified Prospective Bidders through an expeditious identified source of communication, e.g.: e-mail etc., including a description of the inquiry, but without identifying its source.
- v) Should the Procuring Agency deem it necessary to amend the Bidding Documents as a result of a clarification, it shall do so following the procedure under ITB 2.2.3.
- vi) If indicated in the BDS, the Bidder's designated representative is invited at the Bidder's cost to attend a pre-Bid meeting at the place, date and time mentioned in the BDS. During this pre-Bid meeting, prospective Bidders may request clarification of the

schedule of requirement, the Evaluation Criteria or any other aspects of the Bidding Documents.

vii) Minutes of the pre-Bid meeting, if applicable, including the text of the questions asked by Bidders, including those during the meeting (without identifying the source) and the responses given, together with any responses prepared after the meeting will be transmitted promptly to all prospective Bidders who have obtained the Bidding Documents. Any modification to the Bidding Documents that may become necessary as a result of the pre-Bid meeting shall be made by the Procuring Agency exclusively through the use of an Addendum pursuant to ITB 2.2.3. Non-attendance at the pre-Bid meeting will not be a cause for disqualification of a Bidder.

2.2.3. Amendment of Bidding Documents

- i) At any time prior to the deadline for submission of Bids, but not later than three (3) days before the closing time of the submission of Bid, the Procuring Agency, for any reason, whether at its own initiative or in response to a clarification requested by a prospective Bidder, may modify the Bidding documents by amendment. Any such change/amendment in the Bidding documents shall be provided in a timely manner, preferably through electronic means also, not later than three (3) days, and on equal opportunity basis as per Rule-25(3) of PPR-14.
- ii) All prospective Bidders that have received the Bidding documents will be notified of the amendment in writing or by email, and will be binding on them.
- iii) Before the deadline for submission of Bids, the Procuring Agency for any reason, whether at its own initiative or in response to a clarification requested by a prospective Bidder or pre-Bid meeting may modify the Bidding Documents by issuing addenda.
- iv) Any addendum issued including the notice of any extension of the deadline shall be part of the Bidding Documents and shall be communicated in writing or in any identified electronic form, e.g. email that secures record of the content of subject communication.
- v) In order to allow prospective Bidders reasonable time in which to take an addendum into account in preparing their Bids, the Procuring Agency, at its discretion, may extend the deadline for the submission of Bids, as per rule 29 of PPR-14, in the manner similar to the original advertisements, so as to avoid

any inconvenience and to doubly ensure level playing field for all prospective bidders.

2.3. Preparation of Bids

2.3.1. Language of Bid

i) The Bid prepared by the Bidder, as well as all correspondence and documents relating to the Bid exchanged by the Bidder and the Procuring Agency shall be written in the language specified in the Bid Data Sheet. Supporting documents and printed literature furnished by the Bidder may be in same language.

2.3.2. Bid Form

i) The Bidder shall complete the Bid Form and the appropriate Price Schedule (Financial Bid) furnished in the Bidding documents, indicating the RENOVATION SERVICES INCLUDING SUPPLY AND INSTALLATION OF EQUIPMENT ON TURNKEY BASIS AT EEARN INNOVATION-HUB BUILDING, CHAMAN ZAR ROAD RAWALPINDI etc. to be provided.

2.3.3. Bid Prices

- i) The Bidder shall indicate on form 8.10 the unit prices (where applicable) and total Bid price of the RENOVATION SERVICES INCLUDING SUPPLY AND INSTALLATION OF EQUIPMENT ON TURNKEY BASIS AT eEARN INNOVATION-HUB BUILDING, CHAMAN ZAR ROAD RAWALPINDI, the services of which it proposes to provide under the contract.
- ii) Prices indicated on the Price Schedule shall be item wise/ package wise.
- iii) The Bidder's separation of price components in accordance with ITB Clause 2.3.4(i) above will be solely for the purpose of facilitating the comparison of Bids by the Procuring Agency and will not in any way limit the Procuring Agency's right to contract on any of the terms offered.
- iv) Prices quoted by the Bidder shall be fixed during the Bidder's performance of the contract and not subject to variation on any account, unless otherwise specified in the Bid Data Sheet. A Bid submitted with an adjustable price quotation will be treated as non-responsive and may be rejected.

2.3.4. Bid Currencies

- i) Prices shall be quoted in **Pak Rupees** unless otherwise specified in the Bid Data Sheet.
- ii) The Bidders must adhere to the minimum wage rate (notified by Labour & Human Resource Department) and all applicable

taxes (imposed by FBR/PRA/any other government organization) while preparing financial bid.

2.3.5. Documents Establishing Bidder's Eligibility and Qualification

- Pursuant to ITB Clause 2.1.3, the Bidder shall furnish, as part of its Bid, documents establishing the Bidder's eligibility to Bid and its qualifications to perform the contract if its Bid is accepted.
- ii) The documentary evidence of the Bidder's eligibility to Bid shall establish to the Procuring Agency's satisfaction that the Bidder, at the time of submission of its Bid, is eligible as defined under ITB Clause 2.1.3.
- iii) The documentary evidence, of the Bidder's qualifications to perform the contract if its Bid is accepted, shall establish to the Procuring Agency's satisfaction:
 - (a) that the Bidder has the financial, technical capability necessary to perform the contract;
 - (b) That the Bidder meets the qualification criteria listed in the Bid Data Sheet.

2.3.6. Bid Security

- i) The Bidder shall furnish, as part of its Bid, a Bid security in the amount specified in the Bid Data Sheet.
- ii) The Bid security is required to protect the Procuring Agency against the risk of Bidder's conduct which would warrant the security's forfeiture Pursuant to ITB Clause 2.3.6. (vii).
- iii) The Bid security shall be in Pakistan Rupees and shall be in one of the following forms:
 - (a) Bank Guarantee, Bank call-deposit (CDR), Demand Draft (DD), Pay Order (PO) or Banker's cheque valid for

Thirty (30) Days, beyond the validity of Bid, or until furnishing of the Performance Security, whichever is later.

- iv) Any Bid not secured in accordance with ITB Clauses 2.3.7 (i) and (iii) may be rejected by the Procuring Agency as non-responsive.
- v) Unsuccessful Bidders' Bid security will be discharged or returned as promptly as possible but not later than Thirty (30) days after the expiration of the period of Bid validity prescribed by the Procuring Agency pursuant to ITB Clause 2.3.7 (iii) (a) or along with unopened financial proposal as per rule 38(2)(a)(vii) of PPR-14, which shall take precedence, and is as under:

"38(2)(a)(vii) the financial proposal of the Bids found technically non-responsive shall be retained unopened and shall

be returned on the expiry of the grievance period or the decision of the complaint, if any, filed by the non-responsive Bidder, whichever is later:

provided that the Procuring Agency may return the sealed financial proposal earlier if the disqualified or non-responsive Bidder, contractor or consultant submits an affidavit, through an authorized representative, to the effect that he is satisfied with the proceedings of the Procuring Agency".

- vi) The successful Bidder's Bid security will be discharged upon the Bidder signing the contract, pursuant to ITB Clause 2.6.1, and furnishing the Performance Guarantee, pursuant to ITB Clause 2.6.2.
- vii) The Bid security may be forfeited:
 - a. if a Bidder withdraws its Bid during the period of Bid validity specified by the Bidder on the Bid Form; or
 - b. in the case of a successful Bidder, if the Bidder:
 - i. fails to sign the contract in accordance with ITB Clause2.6.3; or
 - ii. fails to furnish Performance Guarantee in accordance with ITB Clause 2.6.2; or
 - iii. is blacklisted under relevant provisions of PPRA Act, 2009 and PPR-14.

2.3.7. Period of Validity of Bids

- i) Bids shall remain valid for the period specified in the Bid Data Sheet after the date of Bid opening prescribed by the Procuring Agency. A Bid valid for a shorter period may be rejected by the Procuring Agency as non-responsive.
- ii) In exceptional circumstances, the Procuring Agency may solicit the Bidder's consent to an extension of the period of validity (as per rule-28 of PPR-14). The request and the responses thereto shall be made in writing (or by email). The Bid security provided under ITB Clause 2.3.7 shall also be suitably extended. A Bidder may refuse the request without forfeiting its Bid security. A Bidder accepting the request will not be required nor permitted to modify its Bid.

2.3.8. Format and Signing of Bid

i) The Bidder shall prepare an original and the number of copies of the Bid indicated in the Bid Data Sheet, clearly marking each "ORIGINAL BID" and "COPY OF BID," as appropriate. In the event of any discrepancy between them, the original shall prevail.

- ii) The Bidder shall authorize a person/ persons for signing, submission and further correspondence with Procuring Agency on behalf of bidder. Authority letter must be part of bid. However, in case of any issue bidder shall be responsible for all consequences.
- iii) The original and the copy or copies of the Bid shall be typed or written in indelible ink and shall be signed by the Bidder or a person or persons duly authorized to bind the Bidder to the contract. All pages of the Bid, shall be initialed by the person or persons signing the Bid.
- iv) Any interlineation, erasures, or overwriting shall be valid only if they are initialed by the person or persons signing the Bid.
- v) The original and the copy or copies of the Bid shall be typed or written in indelible ink and shall be signed by the Bidder or a person or persons duly authorized to sign on behalf of the Bidder. This authorization shall consist of a written confirmation as specified in the **BDS** and shall be attached to the Bid. The name and position held by each person signing the authorization must be typed or printed below the signature. All pages of the Bid, shall be initialed by the person or persons signing the Bid.
- vi) The Bidder shall furnish information as described in the Form of Bid on commissions or gratuities, if any, paid or to be paid to agents relating to this Bid and to contract execution if the Bidder is awarded the contract.

2.3.9. Minimum Wage rates/all applicable taxes

i) The Bidders must adhere to the minimum wage rate (notified by Labour & Human Resource Department) and all applicable taxes (imposed by FBR/PRA/any other government organization) while preparing financial bid.

2.4. Submission of Bids

2.4.1 Sealing and Marking of Bids

- i) As per Rule 24, the Bidder shall seal the original and each copy of the Bid in separate envelopes, duly marking the envelopes as "ORIGINAL" and "COPY." The envelopes shall then be sealed in an outer envelope.
- ii) The inner and outer envelopes shall:

- a. be addressed to the Procuring Agency at the address given in the Bid Data Sheet; and
- b. bear the title of procurement Activity indicated in the Bid Data Sheet, the Invitation to Bids (ITB) title and number indicated in the Bid Data Sheet, and a statement: "DO NOT OPEN BEFORE..... (time and date)," [to be completed with the time and the date specified in the Bid Data Sheet, pursuant to ITB Clause 2.4.2.]
- iii) The inner envelopes shall also indicate the name and address of the Bidder to enable the Bid to be returned unopened in case it is declared "late".
- iv) If the outer envelope is not sealed and marked as required by ITB Clause 2.4.1 (i), the Procuring Agency will assume no responsibility for the Bid's misplacement or premature opening.
- v) In case of Single Stage One Envelope Procedure, the Bidder shall seal the original and each copy of the Bid in separate envelopes, duly marking the envelopes as "ORIGINAL" and "COPY." The envelopes shall then be sealed in an outer envelope securely sealed in such a manner that opening and resealing cannot be achieved undetected.

Note: The envelopes shall be sealed and marked in accordance with the bidding procedure adopted as referred in Rule-38 of PPR-2014, which shall have precedence.

- vi) The inner and outer envelopes shall:
 - a) be addressed to the Procuring Agency at the address given in the **BDS**; and
 - b) bear the title of the subject procurement or Project name, as the case may be as indicated in the BDS, the Invitation to Bids (ITB) title and number indicated in the BDS, and a statement: "DO NOT OPEN BEFORE," to be completed with the time and the date specified in the BDS, pursuant to ITB 2.4.2.
- vii) In case of Single Stage Two Envelope Procedure, The Bid shall comprise two envelopes submitted simultaneously, one called the Technical Proposal and the other Financial Proposal. Both envelopes to be enclosed together in an outer single envelope called the Bid. Each Bidder shall submit his bid as under:
 - a) Bidder shall submit his TECHNICAL PROPOSAL and FINANCIAL PROPOSAL in separate inner envelopes and enclosed in a single outer envelope.

- b) ORIGINAL and each copy of the Bid shall be separately sealed and put in separate envelopes and marked as such.
- (c) The envelopes containing the ORIGINAL and copies will be put in one sealed envelope and addressed / identified as given in BDS.
- viii) The inner and outer envelopes shall:
 - a) be addressed to the Procuring Agency at the address provided in the BDS;
 - b) bear the name and identification number of the contract as defined in the BDS; and provide a warning not to open before the time and date for bid opening, as specified in the BDS, pursuant to ITB 2.4.2;
 - c) In addition to the identification required in Sub- Clause (b) hereof, the inner envelope shall indicate the name and address of the Bidder to enable the bid to be returned unopened in case it is declared "late" pursuant to ITB.2.4.3.
- ix) If all envelopes are not sealed and marked as required by **ITB 2.4.1** or incorrectly marked, the Procuring Agency will assume no responsibility for the misplacement or premature opening of Bid.

2.4.2 Deadline for Submission of Bids

- Bids must be received by the Procuring Agency at the address specified under BDS no later than the time and date specified in the Bid Data Sheet.
- ii) The Procuring Agency may, at its discretion and as per rule 29 of PPR-14, extend this deadline for the submission of Bids by amending the Bidding documents in accordance with ITB Clause 2.2.2 & 2.2.3 in which case all rights and obligations of the Procuring Agency and Bidders previously subject to the deadline will thereafter be subject to the deadline as extended.
- iii) Bids shall be received by the Procuring Agency at the address specified under **BDS** no later than the date and time specified in the **BDS**.

2.4.3. Late Bids

- i) Any Bid received by the Procuring Agency after the deadline for submission of Bids prescribed by the Procuring Agency pursuant to ITB Clause 2.4.2 will be rejected and returned unopened to the Bidder.
- ii) The Procuring Agency shall not consider for evaluation any Bid that arrives after the deadline for submission of Bids.

iii) Any Bid received by the Procuring Agency after the deadline for submission of Bids shall be declared late, recorded, rejected and returned unopened to the Bidder.

2.4.4. Modification and Withdrawal of Bids

- i) The Bidder may modify or withdraw its Bid after the Bid's submission, provided that written notice of the modification, including substitution or withdrawal of the Bids, is received by the Procuring Agency prior to the deadline prescribed for submission of Bids.
- ii) The Bidder's modification or withdrawal notice shall be prepared, sealed, marked, and dispatched in accordance with the provisions of Clause (i) A withdrawal notice may also be sent by email, but followed by a signed confirmation copy, postmarked not later than the deadline for submission of Bids.
- iii) No Bid may be modified after the deadline for submission of Bids.
- iv) No Bid may be withdrawn in the interval between the deadline for submission of Bids and the expiration of the period of Bid validity specified by the Bidder on the Bid Form. Withdrawal of a Bid during this interval may result in the Bidder's forfeiture of its Bid security (along with other remedies available under PPR-14), pursuant to the ITB Clause 2.3.7 (vii).
- v) A Bidder may withdraw its Bid after it has been submitted, provided that written notice of the withdrawal of the Bid, is received by the Procuring Agency prior to the deadline for submission of Bids.
- vi) Revised bid may be submitted after the withdrawal of the original bid before the deadline for submission of Bids.

2.5. Opening and Evaluation of Bids

2.5.1. Opening of Bids by the Procuring Agency

- i) The Procuring Agency will open all Bids, in public, in the presence of Bidders' or their representatives who choose to attend, and other parties with a legitimate interest in the Bid proceedings at the place, on the date and at the time, specified in the **BDS**. The Bidders' representatives present shall sign a register as proof of their attendance.
- ii) First, envelopes marked "WITHDRAWAL" shall be opened and read out and the envelope with the corresponding bid shall not be opened, but returned to the Bidder. No bid withdrawal shall be permitted unless the corresponding Withdrawal Notice

- contains a valid authorization to request the withdrawal and is read out at bid opening.
- iii) Second, outer envelopes marked "SUBSTITUTION" shall be opened. The inner envelopes containing the Substitution Bid shall be exchanged for the corresponding Original Bid being substituted, which is to be returned to the Bidder unopened. No envelope shall be substituted unless the corresponding Substitution Notice contains a valid authorization to request the substitution and is read out and recorded at bid opening.
- iv) Next, outer envelopes marked "MODIFICATION" shall be opened. No Technical Proposal and/or Financial Proposal shall be modified unless the corresponding Modification Notice contains a valid authorization to request the modification and is read out and recorded at the opening of the Bids. Any Modification shall be read out along with the Original Bid except in case of Single Stage Two Envelope Procedure where only the Technical Proposal, both Original as well as Modification, are to be opened, read out, and recorded at the opening. Financial Proposal, both Original and Modification, will remain unopened till the prescribed financial bid opening date.
- v) Other envelopes holding the Bids shall be opened one at a time, in case of Single Stage One Envelope Procedure, the Bidders names, the Bid prices, the total amount of each Bid and of any alternative Bid (if alternatives have been requested or permitted), any discounts, the presence or absence of Bid Security, Bid Securing Declaration and such other details as the Procuring Agency may consider appropriate, will be announced by the Procurement Evaluation Committee.
- vi) In case of Single Stage Two Envelope Procedure, the Procuring Agency will open the Technical Proposals in public at the address, date and time specified in the **BDS** in the presence of Bidders` designated representatives who choose to attend and other parties with a legitimate interest in the Bid proceedings. The Financial Proposals will remain unopened and will be held in custody of the Procuring Agency until the specified time of their opening.
- vii) The envelopes holding the Technical Proposals shall be opened one at a time, and the following read out and recorded: (a) the name of the Bidder; (b) whether there is a modification or substitution; (c) the presence of a Bid Security, if required; and

- (d) Any other details as the Procuring Agency may consider appropriate.
- viii) Bids not opened and not read out at the Bid opening shall not be considered further for evaluation, irrespective of the circumstances. In particular, any discount offered by a Bidder which is not read out at Bid opening shall not be considered further.
- ix) Bidders are advised to send in a representative with the knowledge of the content of the Bid who shall verify the information read out from the submitted documents. Failure to send a representative or to point out any un-read information by the sent Bidder's representative shall indemnify the Procuring Agency against any claim or failure to read out the correct information contained in the Bidder's Bid.
- x) No Bid will be rejected at the time of Bid opening except for late Bids which will be returned unopened to the Bidder, pursuant to **2.4.3** (i).
- xi) The Procuring Agency shall prepare minutes of the Bid opening. The record of the Bid opening shall include, as a minimum: the name of the Bidder and whether or not there is a withdrawal, substitution or modification, the Bid price if applicable.
- xii) The Bidders' representatives who are present shall be requested to sign on the attendance sheet. The omission of a Bidder's signature on the record shall not invalidate the contents and affect the record. A copy of the record shall be distributed to all the Bidders.
- xiii) A copy of the minutes of the Bid opening shall be furnished to individual Bidders upon request.

[if Procuring Agency opts for single stage one envelope procedure as per rule 38(1) of PPR-14, clause (vi) to (xiii) should be formulated accordingly by the procuring agency.]

2.5.2. Confidentiality

 Information relating to the examination, clarification, evaluation and comparison of Bids and recommendation of contract award shall not be disclosed to Bidders or any other persons not officially concerned with such process until the time of the announcement of the respective evaluation report in accordance with the requirements of rule 37 of PPR-14.

- ii) Any effort by a Bidder to influence the Procuring Agency processing of Bids or award decisions may result in the rejection of its Bid.
- iii) Notwithstanding **ITB Clause 2.2.2** from the time of Bid opening to the time of contract award, if any Bidder wishes to contact the Procuring Agency on any matter related to the Bidding process, it should do so in writing or in electronic forms that provides record of the content of communication.

2.5.3. Clarification of Bids

- i) As per rule 33(2) of PPR-14, to assist in the examination, evaluation and comparison of Bids and post-qualification of the Bidders, the Procuring Agency may, at its discretion, ask any Bidder for a clarification of its Bid including breakdown of prices. Any clarification submitted by a Bidder that is not in response to a request by the Procuring Agency shall not be considered.
- ii) The request for clarification and the response shall be in writing or in electronic forms that provide record of the content of communication. In case of Single Stage Two Envelope Procedure, no change in the prices or substance of the Bid shall be sought, offered, or permitted. Whereas in case of Single Stage One Envelope Procedure, only the correction of arithmetic errors discovered by the Procuring Agency in the evaluation of Bids should be sought in accordance with ITB Clause 2.5.6.
- iii) The alteration or modification in The Bid which in any way affect the following parameters will be considered as a change in the substance of a bid:
 - a) evaluation & qualification criteria;
 - b) required scope of RENOVATION SERVICES INCLUDING SUPPLY AND INSTALLATION OF EQUIPMENT ON TURNKEY BASIS AT EEARN INNOVATION-HUB BUILDING, CHAMAN ZAR ROAD RAWALPINDI.
 - c) all securities requirements;
 - d) tax requirements;
 - e) Terms and conditions of bidding documents.
 - f) change in the ranking of the Bidder
- iv) From the time of Bid opening to the time of Contract award if any Bidder wishes to contact the Procuring Agency on any

matter related to the Bid it should do so in writing or in electronic forms that provide record of the content of communication.

2.5.4. Preliminary Examination

- i) The Procuring Agency will examine the Bids to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed, and whether the Bids are generally in order.
- ii) Arithmetical errors will be rectified on the following basis:
 - a. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail, and the total price shall be corrected. If the Service Provider does not accept the correction of the errors, its Bid may be rejected, and its Bid security may be forfeited.
 - b. If there is a discrepancy between words and figures, the amount in words will prevail.
- iii) Prior to the detailed evaluation, the Procuring Agency will determine the substantial responsiveness of each Bid to the Bidding documents, pursuant to ITB Clause 2.5.5. For purposes of these Clauses, a substantially responsive Bid is one which conforms to all the terms and conditions of the Bidding documents without material deviations. Deviations from, or objections or reservations to critical provisions, such as those concerning Bid Security (ITB Clause 2.3.7), Applicable Law (GCC Clause 30), Taxes and Duties (GCC Clause 32) & mandatory Registrations/ Renewals will be deemed to be a material deviation. The Procuring Agency's determination of a Bid's responsiveness is to be based on the contents of the Bid itself without recourse to extrinsic evidence.
- iv) If a Bid is not substantially responsive, it will be rejected by the Procuring Agency and may not subsequently be made responsive by the Bidder by correction of the non-conformity.
- v) Prior to the detailed evaluation of Bids, the Procuring Agency will determine whether each Bid:
 - a) meets the eligibility criteria defined in ITB 2.1.3;
 - b) has been prepared as per the format and contents defined by the Procuring Agency in the Bidding Documents;
 - c) has been properly signed;
 - d) is accompanied by the required securities; and

e) Is substantially responsive to the requirements of the Bidding Documents.

The Procuring Agency's determination of a Bid's responsiveness will be based on the contents of the Bid itself.

2.5.5. Examination of Terms and Conditions; Technical Evaluation

- i) The Procuring Agency shall examine the Bid to confirm that all terms and conditions specified in the GCC and the SCC have been accepted by the Bidder without any material deviation or reservation.
- ii) The Procuring Agency shall evaluate the technical aspects of the Bid submitted to confirm that all requirements specified in Section III – Scope of Services / Specifications, Section VII – Schedule of Requirements, and Evaluation Criteria as provided in BDS, have been met without material deviation or reservation.
- iii) If after the examination of the terms and conditions and the technical evaluation, the Procuring Agency determines that the Bid is not responsive in accordance, it shall reject the Bid.

2.5.6. Correction of Errors

- i) Bids determined to be substantially responsive will be checked for any arithmetic errors. Errors will be corrected as follows:
 - a) if there is a discrepancy between unit prices and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail, and the total price shall be corrected, unless in the opinion of the Procuring Agency there is an obvious misplacement of the decimal point in the unit price, in which the total price as quoted shall govern and the unit price shall be corrected;
 - b) if there is an error in a total corresponding to the addition or subtraction of sub-totals, the sub-totals shall prevail and the total shall be corrected; and
 - c) Where there is a discrepancy between the amounts in figures and in words, the amount in words will govern.
 - d) Where there is discrepancy between grand total of price schedule and amount mentioned on the Form of Bid, the amount referred in Price Schedule shall be treated as correct subject to elimination of other errors.
- ii) The amount stated in the Bid will, be adjusted by the Procuring Agency in accordance with the above procedure for the correction of errors. The concurrence of the Bidder shall be considered as binding upon the Bidder. If the Bidder does not accept the corrected amount, its Bid will then be rejected, and the Bid Security may be forfeited or the Bid Securing Declaration may be executed in accordance with ITB 2.3.7.

2.5.7. Conversion to Single Currency

i) As per rule 32(2) of PPR-14, to facilitate evaluation and comparison, the Procuring Agency will convert all Bid prices expressed in the amounts in various currencies as follows (if applicable):

For the purposes of comparison of bids quoted in different currencies, the price shall be converted into a single currency specified in the bidding documents. The rate of exchange shall be the selling rate, prevailing on the date of opening of bids specified in the bidding documents, as notified by the State Bank of Pakistan on that day.

2.5.8. Postqualification & Evaluation of Bids

- i) In the absence of prequalification, the Procuring Agency will determine to its satisfaction whether the Bidder is qualified to perform the contract satisfactorily, in accordance with the evaluation criteria listed in BDS & pursuant to ITB Clause 2.1.3.
- ii) The determination will take into account the Bidder's financial, technical, and production/ supplying capabilities. It will be based upon an examination of the documentary evidence of the Bidder's qualifications submitted by the Bidder, as well as such other information required for eligibility/qualification expressed in Bid Data Sheet as the Procuring Agency deems necessary and appropriate.
- iii) The Procuring Agency will **technically evaluate** and compare the Bids which have been determined to be substantially responsive, pursuant to ITB Clause 2.5.5.
- iv) The **financial evaluation** of a Bid will be on the basis of form of Price Schedules/ Financial Bid Form 8.10 to be decided by the Procuring Agency which must include clear cut instruction regarding evaluation inclusive of all prevailing taxes, duties, fees along with observance of minimum wages etc.

2.5.9. Contacting the Procuring Agency

- i) Subject to ITB Clause 2.5.3, no Bidder shall contact the Procuring Agency on any matter relating to its Bid, from the time of the Bid opening to the time the evaluation report is made public i.e. 10 days before the contract is awarded. If the Bidder wishes to bring additional information or has grievance to the notice of the Procuring Agency, it should do so in writing.
- ii) Any effort by a Bidder to influence the Procuring Agency during Bid evaluation, or Bid comparison may result in the rejection of the Bidder's Bid.

2.5.10. Grievance Redressal

 i) As per Rule-67 of PPR-14, Procuring Agency shall constitute a Grievance Redressed Committee (GRC) comprising of odd number of persons with proper powers and authorization to address the complaints. The GRC shall not have any of the members of the Procurement Evaluation Committee. The Committee may preferably have one subject specialist depending upon the nature of the procurement in addition to one person with legal background as per their availability to the Procuring Agency.

- ii) Any Bidder feeling aggrieved can file its written complaint against the eligibility parameters or any other terms and conditions prescribed in the Bidding documents found contrary to provision of Rule 33, and the same shall be addressed by the GRC well before the proposal submission deadline.
- iii) Any party can file its written complaint against the eligibility parameters or any other terms and conditions prescribed in the bidding documents found contrary to provision of Rule 34 and the same shall be addressed by the GRC well before the proposal submission deadline.
- Any Bidder feeling aggrieved by any act of the Procuring Agency after the submission of his Bid may lodge a written complaint concerning his grievances not later than ten (10) days after the announcement of the Final evaluation reports. In case of single stage two envelope bidding procedure any bidder feeling aggrieved from technical evaluation may file a grievance within five (05) days of announcement of the technical evaluation report. After completion of the technical evaluation process, the procuring agency shall immediately upload the technical evaluation report on the website of PPRA for obtaining/ receiving grievance petitions from the prospective bidders (if any).
- v) In case, the complaint is filed after the issuance of the final evaluation report, the complainant cannot raise any objection on technical evaluation of the report. Provided that the complainant may raise the objection on any part of the final evaluation report in case where single stage one envelop bidding procedure is adopted.
- vi) The GRC shall investigate and decide upon the complaint within fifteen (15) days of the receipt of the complaint. Mere fact of lodging of a complaint shall not warrant suspension of the procurement process.

2.6. Award of Contract

2.6.1. Notification of Award

- i) Prior to the expiration of the period of Bid validity, the Procuring Agency will notify the successful Bidder in writing by registered letter or by email to be confirmed in writing by registered letter, that its Bid has been accepted.
- ii) The notification of award will constitute the formation of the Contract.
- iii) Upon the successful Bidder's furnishing of the Performance Guarantee pursuant to ITB Clause 2.6.2 (i), the Procuring Agency will promptly notify each unsuccessful Bidder and will discharge its Bid security, pursuant to ITB Clause 2.3.7 (v).

2.6.2. Performance Guarantee

- i) Within fifteen (15) days of the issuance of notification of award/Letter of Intent (LOI) from the Procuring Agency, the successful Bidder shall furnish the Performance Guarantee in accordance with the Conditions of Contract, in the Performance Guarantee Form provided in the Bidding documents, or in another form acceptable to the Procuring Agency.
- ii) Penalty Charges on Late Submission of Performance Security: If the Contractor delays provision of Performance Security fifteen (15) days of the issuance of notification of award / Letter of Intent (LOI) from the Procuring Agency, a sum of money @0.25% of the total Performance Security, for every day beyond fifteen (15) days of the issuance of notification of award / Letter of Intent (LOI) from the Procuring Agency, will be deducted as Penalty Charges. Provided that total amount of Penalty Charges so deducted shall not exceed, an amount equal to the value of Bid Security.
- iii) Failure of the successful Bidder to comply with the requirement of ITB Clause (i) above or ITB Clause 2.6.3 shall constitute sufficient grounds for the annulment of the award and forfeiture of the Bid security along with other remedies available under PPR-14. After that, the Procuring Agency may decide to retain the amount equivalent to the percentage of Performance Security from the Contractor's payment, may terminate the Contract and award the contract to the next lowest evaluated Bidder, keeping in view the Bid validity time, or call for new Bids keeping in view the concept of value for

money as defined under rule-2(ae) read with Principles of Procurement as enunciated in rule-4 of PPR-14.

2.6.3. Signing of Contract/ Issuance of work Order

- i) At the same time as the Procuring Agency notifies the successful Bidder that its Bid has been accepted, the Procuring Agency will send the Bidder the Contract Form provided in the Bidding documents, incorporating all agreements between the parties or will issue the purchase order [as the case may be].
- ii) Under rule-63 of PPR-14, where the Procuring Agency requires formal signing of contract, within fifteen (15) days of the issuance of notification of award/Letter of Intent (LOI), the successful Bidder shall sign and mention date of the contract and return it to the Procuring Agency.
- iii) Where no such formal signing is required by the procuring agency, the procuring agency shall issue purchase order after the receipt of required performance guarantee, as per rule 55 of PPR-14.

2.6.4. Award Criteria

i) Subject to ITB Clause 2.6.2, under rule-55 of PPR-14, the Procuring Agency will award the contract to the successful Bidder whose Bid has been determined to be substantially responsive and has been determined to be the lowest evaluated Bid, provided that the Bidder has been determined to be qualified to perform the contract satisfactorily.

2.6.5. Procuring Agency's Right to Vary Quantities at Time of Award

i) The Procuring Agency reserves the right at the time of contract award to increase or decrease the quantity of RENOVATION SERVICES INCLUDING SUPPLY AND INSTALLATION OF EQUIPMENT ON TURNKEY BASIS AT EEARN INNOVATION-HUB BUILDING, CHAMAN ZAR ROAD RAWALPINDI etc. originally specified in the Schedule of Requirements without any change in unit price or other terms and conditions, on the analogy of rule-59 (iv) of PPR-14 (not more than 15%).

2.6.6. Procuring Agency's Right to Accept or Reject All Bids

- i) As per rule 35 of PPR-14, the Procuring Agency reserves the right to accept or reject all Bids or proposals (and to annul the Bidding process) at any time prior to the acceptance of any Bid or proposal, without thereby incurring any liability towards the Bidders. However, the Authority (i.e. PPRA) may call from the Procuring Agency the justification of those grounds.
- ii) The Bidders shall be promptly informed about the rejection of the Bids, if any

iii) The Procuring Agency shall upon request communicate to any Bidder, the grounds for its rejection of all Bids or proposals, but shall not be required to justify those grounds.

2.6.7. Re-Bidding

i) If the Procuring Agency rejects all the Bids under rule 35, it may proceed with the process of fresh Bidding but before doing that it shall assess the reasons for rejection and may, if necessary, revise specifications, evaluation criteria or any other condition for Bidders.

2.6.8. Corrupt or Fraudulent Practices

i) The Procuring Agency requires that Bidders, Service Providers, and Contractors observe the highest standard of ethics during the procurement and execution of contracts.

"Corrupt practices" in respect of procurement process, shall be as given in S-2 (d) of PPRA, Act, 2009, which is as follows:

"(d) "corrupt practice" means the offering, giving, receiving, or soliciting of anything of value to influence the action of a public official, bidder or Contractor in the procurement process or in Contract execution to the detriment of the procuring agency; or misrepresentation of facts in order to influence a procurement process or the execution of a Contract, collusive practices among bidders (prior to or after bid submission) designed to establish bid prices at artificial, noncompetitive levels and to deprive the procuring agency of the benefits of free and open competition and any request for, or solicitation of anything of value by any public official in the course of the exercise of his duty; it may include any of the following:

- i. coercive practice by impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence the actions of a party to achieve a wrongful gain or to cause a wrongful loss to another party;
- ii. collusive practice by arrangement between two or more parties to the procurement process or Contract execution, designed to achieve with or without the knowledge of the procuring agency to establish prices at artificial, noncompetitive levels for any wrongful gain;
- iii. offering, giving, receiving or soliciting, directly or indirectly, of anything of value to influence the acts of another party for wrongful gain;
- iv. any act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation;
- v. obstructive practice by harming or threatening to harm, directly or indirectly, persons or their property to influence their

participation in a procurement process, or affect the execution of a Contract or deliberately destroying, falsifying, altering or concealing of evidence material to the investigation or making false statements before investigators in order to materially impede an investigation into allegations of a corrupt, fraudulent, coercive or collusive practice; or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation, or acts intended to materially impede the exercise of inspection and audit process."

ii) Blacklisting & Debarment:

Blacklisted Consultants and those found involved in "Corrupt Practices" are not allowed to participate in bidding.

Substantial Requirements & Procedure for Blacklisting & Debarment:

As per S-17A of PPRA, Act, 2009:

- **"17A. Blacklisting.** (1) A procuring agency may, for a specified period and in the prescribed manner, debar a bidder or Contractor from participating in any public procurement process of the procuring agency, if the bidder or Contractor indulges in corrupt practice or any other prescribed practice.
 - (2) The Managing Director may, in the prescribed manner, debar a bidder or Contractor from participating in any public procurement process of all or some of the procuring agencies for a specified period.
 - (3) Any person, aggrieved from a decision of a procuring agency, may within prescribed period prefer a representation before the Managing Director.
 - (4) A procuring agency or any other person, aggrieved from a decision of the Managing Director, may within prescribed period prefer a representation before the Chairperson whose decision on such representation shall be final.]

As per rule 21 of PPR-14:

21. Blacklisting.—(1) A procuring agency may, for a specified period, debar a bidder or Contractor from participating in any public procurement process of the procuring agency, if the bidder or Contractor has:

- (a) acted in a manner detrimental to the public interest or good practices;
- (b) consistently failed to perform his obligation under the Contract;
- (c) not performed the Contract up to the mark; or
- (d) indulged in any corrupt practice.
- (2) If a procuring agency debars a bidder or Contractor under sub-rule (1), the procuring agency:
 - (a) shall forward the decision to the Authority for publication on the website of the Authority; and
 - (b) may request the Authority to debar the bidder or Contractor for procurement of all procuring agencies.
- (3) The Managing Director may debar a bidder or Contractor of any procuring agency from participating in any public procurement process of all or some of the procuring agencies for such period as the Managing Director may determine.
- (4) Any person aggrieved by a declaration made under rule 20 or a decision under sub-rule (1) of this rule may, within thirty days from the date of the publication of the information on the website of the Authority, file a representation before the Managing Director and the Managing Director may pass such order on the representation as he may deem fit.
- (5) Any person or procuring agency aggrieved by an order under sub-rule (3) or (4) may, within thirty days of the order, file a representation before the Chairperson and the Chairperson may pass such order on the representation as he may deem appropriate.
- (6) The mechanism or process for barring a bidder or Contractor from participating in procurement process of a procuring agency, procuring agencies and a representation under this rule is specified in the Schedule appended to these rules.

As per Schedule appended with PPR-14:

SCHEDULE

see sub-rule (6) of rule 21

BLACKLISTING MECHANISM OR PROCESS

- 1. The procuring agency may, on information received from any resource, issue show cause notice to a bidder or Contractor.
- 2. The show cause notice shall contain:
 - (a) precise allegation, against the bidder or Contractor;
 - (b) the maximum period for which the procuring agency proposes to debar the bidder or Contractor from participating in any public procurement of the procuring agency; and

- (c) the statement, if needed, about the intention of the procuring agency to make a request to the Authority for debarring the bidder or Contractor from participating in public procurements of all the procuring agencies.
- 3. The procuring agency shall give minimum of seven days to the bidder or Contractor for submission of written reply of the show cause notice.
- 4. In case, the bidder or Contractor fails to submit written reply within the requisite time, the procuring agency may issue notice for personal hearing to the bidder or Contractor/authorize representative of the bidder or Contractor and the procuring agency shall decide the matter on the basis of available record and personal hearing, if availed.
- 5. In case the bidder or Contractor submits written reply of the show cause notice, the procuring agency may decide to file the matter or direct issuance of a notice to the bidder or Contractor for personal hearing.
- 6. The procuring agency shall give minimum of seven days to the bidder or Contractor for appearance before the specified officer of the procuring agency for personal hearing.
- 7. The procuring agency shall decide the matter on the basis of the available record and personal hearing of the bidder or Contractor, if availed.
- 8. The procuring agency shall decide the matter within fifteen days from the date of personal hearing unless the personal hearing is adjourned to a next date and in such an eventuality, the period of personal hearing shall be reckoned from the last date of personal hearing.
- 9. The procuring agency shall communicate to the bidder or Contractor the order of debarring the bidder or Contractor from participating in any public procurement with a statement that the bidder or Contractor may, within thirty days, prefer a representation against the order before the Managing Director of the Authority.
- 10. The procuring agency shall, as soon as possible, communicate the order of blacklisting to the Authority with the request to upload the information on its website.
- 11. If the procuring agency wants the Authority to debar the bidder or Contractor from participating in any public procurement of all procuring agencies, the procuring agency shall specify reasons for such dispensation.
- 12. The Authority shall immediately publish the information and decision of blacklisting on its website.

- 13. In case of request of a procuring agency under para 11 or representation of any aggrieved person under rule 21, the Managing Director shall issue a notice for personal hearing to the parties and call for record of proceedings of blacklisting. The parties may file written statements and documents in support of their contentions.
- 14. In case of representation of any aggrieved person or procuring agency under rule 21, the Chairperson shall issue a notice for personal hearing to the parties and may call for the record of the proceedings. The parties may file written statements and documents in support of their contentions.
- 15. In every order of blacklisting under rule 21, the procuring agency shall record reasons of blacklisting and also reasons for short, long or medium period of blacklisting.
- 16. The Authority shall upload all the decisions under rule 21, available with it, on its website. But the name of a bidder or Contractor shall immediately be removed from the list of blacklisted persons on expiry of period of blacklisting or order of the competent authority to that effect, whichever is earlier.
- 17. An effort shall be made for electronic communication of all the notices and other documents pursuant to this mechanism or process."
 - iii) Furthermore, Bidders must keep themselves aware of the provision stated in clause 5.4 and clause 24.1 of the General Conditions of Contract.
- 2.6.9. Quantity and volume of the goods to be considered in mind [Framework Contract Modality]
- i) While quoting the rate in a framework contract, the Bidder must consider the following facts:
 - a. Certain volume and quantity of the services as prescribed in Bid Data Sheet.
 - b. The Bidder have to maintain the rates of the services for the whole financial year.
- ii) The Bidder should quote the rate as per Price Schedule/ Financial Bid form. In case of non-observance of prescribed format, Financial Bid may be rejected.

Section-III. Technical Specifications & Scope of Services

3.1. Technical Specifications

| BOQ | BOQ – FURNITURE ITEMS | | | | | |
|-----------|---|---|-----|-----|------------------|--|
| Sr. No | Description | Reference Picture | Qty | иом | Size | |
| | GROUND FLOOR | | | | | |
| Α | RECEPTON | | | | | |
| 1 | RECEPTION TABLE: Overall made of 16mm first grade LMDF (Laminated Medium Density Fiber) Board having scratch resistant surface. All edges are banding with plastic PVC tape, glue, table top 32mm, supporting fins made in mild steel dully Black powder coted finish. Plastic glides for floor safety. Including 02 Mobile Drawer Pedestals Complete in all aspects with necessary hardware (Electrical Sockets) and fixing arrangements as per approved image/Design. | NAME OF THE PARTY | 1 | Pcs | | |
| 2 | BACK PANEL: Overall made of 16mm first grade LMDF (Laminated Medium Density Fiber) Board having scratch resistant surface. Combination with wood/PVC panels for design and purpose as per drawing requirement. | | 1 | Pcs | 8'-6" Lx12'-0" H | |
| 3 | EXECUTIVE TWO SEATED SOFA: Providing & Laying fully Upholstered sofa with high density, Environmental friendly, harmless sponge & polyester wadding sheet with modern stitched smooth & curved design for a seamless comfortable sitting experience & covered with superlative Fabric to give a lavish look. Approved polyvinyl chloride-coated fabrics with modern stitched smooth rounded edges design. Inner structure made of plywood & eucalyptus wood durable framing. Uses high quality elastic webbing to support seat & back cushions. Outer Structure made in solid Mahogany wood and must be processed with termite treatment to eliminate & resist in future termite infestations. Complete finished with high quality Polish and lacquers for a long lasting shine using automated / semi-automated polish processing unit. Polish should be 2 base coats and 1 upper coat for ultimate smooth surface and non-yellowing characteristics. Complete in all respects with necessary hardware and fixing arrangements as per approved image/Design. | | 2 | Pcs | Standard Size | |
| 4 | EXECUTIVE SINGLE SEATED SOFA: Providing & Laying fully Upholstered sofa with high density, Environmental friendly, harmless sponge & polyester wadding sheet with modern stitched | | 2 | Pcs | Standard Size | |

| _ | | | | | |
|----------|---|--|---|-----|---------------------------|
| | smooth & curved design for a | | | | |
| | seamless comfortable sitting | | | | |
| | experience & covered with | | | | |
| | superlative Fabric to give a lavish look. | | | | |
| | Approved polyvinyl chloride-coated | | | | |
| | fabrics with modern stitched smooth | | | | |
| | | | | | |
| | rounded edges design. Inner structure | | | | |
| | made of plywood & eucalyptus wood | | | | |
| | durable framing. Uses high quality | | | | |
| | elastic webbing to support seat & | | | | |
| | back cushions. Outer Structure made | | | | |
| | in solid Mahogany wood and must be | | | | |
| | processed with termite treatment to | | | | |
| | eliminate & resist in future termite | | | | |
| | infestations. Complete finished with | | | | |
| | high quality Polish and lacquers for a | | | | |
| | long lasting shine using automated / | | | | |
| | semi-automated polish processing | | | | |
| | unit. Polish should be 2 base coats and | | | | |
| | 1 upper coat for ultimate smooth | | | | |
| | surface and non-yellowing | | | | |
| | , | | | | |
| | characteristics. Complete in all | | | | |
| | respects with necessary hardware | | | | |
| | and fixing arrangements as per | | | | |
| <u> </u> | approved image/Design. | | | | |
| | SIDE TABLES: Top made of 32mm first | | | | |
| | grade LMDF (Laminated Medium | | | | |
| | Density Fiber) Board having scratch | | | | |
| | resistant surface. All edges are | AND DESCRIPTION OF THE PERSON NAMED IN | | | |
| | banding with plastic PVC tape , glue, | | | | |
| _ | Base frame made in 18 SWG mild steel | | _ | | 201144 4 20115 4 20114 |
| 5 | Pipe dully Black powder coted finish. | | 2 | Pcs | 22"W X 22"D X 22"H |
| | The Plastic glides for floor safety. | | | | |
| | Complete in all aspects with | | | | |
| | necessary hardware and fixing | | | | |
| | arrangements as per approved | | | | |
| | - · · · · · · · · · · · · · · · · · · · | | | | |
| | image/Design. | | | | |
| | EXECUTIVE CENTER TABLE SIZE (Feet): | | | | |
| | 2'.0" W × 2'.0" D × 1'.6"H: Top made | | | | |
| | of 32mm first grade LMDF (Laminated | 100 | | | |
| | Medium Density Fiber) Board having | 44 | | | |
| | scratch resistant surface. All edges are | | | | |
| | banding with plastic PVC tape , glue, | | | | |
| 6 | Base frame made in 18 SWG mild steel | | 2 | Pcs | 2'.0" W × 2'.0"D × 1'.6"H |
| | Pipe dully Black powder coted finish. | | | | |
| | The Plastic glides for floor safety. | | | | |
| | Complete in all aspects with | | | | |
| | necessary hardware and fixing | | | | |
| | arrangements as per approved | | | | |
| | image/Design. | | | | |
| | EXECUTIVE CHAIRS HIGH BACK NECK | | | | |
| | SUPPORT: Seat & back made of bend | and the same of th | | | |
| | | and the same of | | | |
| | plywood shell upholstery with 100% | 130000 | | | |
| | Duralene Olefin fabrics / Best Quality | TO SECOND | | | |
| | Leatherite in approved Color. Inside | | | | |
| | high density, Environmental friendly, | | | | |
| 6 | harmless sponge sheet. Durable soft | 7 | 2 | Pcs | Standard Size |
| | padded arms, Heavy duty five stars S.S | | - | | |
| | base with caster wheels. Adjustable | | | | |
| | height and tilt able backrest. | P . 00 | | | |
| | Complete in all aspects with | | | | |
| | necessary hardware and fixing | | | | |
| | arrangements. As per approved | | | | |
| | image/Design. | | | | |
| В | IT ROOM | | | | |
| _ D | | | | | |
| | WORKSTATION: Overall made of first | | | | |
| | grade 16mm Thick LMDF (Laminated | | | | |
| 1 | Medium Density Fiber) Board having | | 2 | Pcs | 4'W X 2'D X 30"H |
| | scratch resistant surface. Worktop | The second second | | | |
| | thickness should be 32mm. | | | | |
| | | | | | |

| | | | | • | |
|----------|--|---------------------------------------|---|------|-------------------|
| | All edges are banding with plastic PVC | | | | |
| | tape 2MM. Gourmet holes with cap | | | | |
| | for wiring and Technology Box. | | | | |
| | Complete in all aspects with | | | | |
| | necessary hardware (Electrical | | | | |
| | * | | | | |
| | Sockets (Schneider, Clipsal or | | | | |
| | equivalent) and fixing arrangements | | | | |
| | as per approved image/Design. | | | | |
| | DRAWER TROLLY: Overall made of | | | | |
| | first grade 16mm Thick LMDF | | | | |
| | • | - | | | |
| | (Laminated Medium Density Fiber) | | | | |
| 2 | Board having scratch resistant | | 2 | Pcs | 2'W X 2'D X 26"H |
| | surface. Worktop thickness should be | | _ | 1 63 | 2 W X 2 B X 20 11 |
| | 32mm. All edges are banding with | | | | |
| | plastic PVC tape 2MM. With portions | | | | |
| | and Wheels | | | | |
| | | | | | |
| | EXECUTIVE CHAIRS HIGH BACK NECK | | | | |
| | SUPPORT: Seat & back made of | | | | |
| | bend plywood shell | | | | |
| | upholstery with 100% | 1000 | | | |
| | Duralene Olefin fabrics / | | | | |
| | Best Quality Leatherite in | WAY! | | | |
| | approved Color. Inside | | | | |
| | high density, | | | | |
| | Environmental friendly, | | | | |
| 3 | harmless sponge sheet. | | 2 | Pcs | Standard Size |
| - | Durable soft padded arms, | | | | |
| | Heavy duty five stars S.S | A | | | |
| | base with caster wheels. | | | | |
| | | | | | |
| | Adjustable height and tilt | | | | |
| | able backrest. Complete in | | | | |
| | all aspects with necessary | | | | |
| | hardware and fixing | | | | |
| | arrangements. As per | | | | |
| | approved image/Design. | | | | |
| | VISITOR'S CHAIRS HIGH BACK: Seat & | | | | |
| | back made of bend plywood shell | | | | |
| | upholstery with 100% Duralene Olefin | The second second | | | |
| | · · · · · · · · · · · · · · · · · · · | | | | |
| | fabrics / Best Quality Leatherite in | | | | |
| | Brown Color. Inside high density, | | | | |
| | Environmental friendly, harmless | ν | | | |
| | sponge sheet. Durable soft padded | · · · · · · · · · · · · · · · · · · · | | _ | |
| 4 | arms, Heavy duty five star S.S base | | 4 | Pcs | Standard Size |
| | | | | | |
| | without caster wheels. Adjustable | | | | |
| | height and tilt able backrest. | | | | |
| | Complete in all aspects with | | | | |
| | necessary hardware and fixing | | | | |
| | arrangements. As per approved | | | | |
| | image/Design. | | | | |
| \vdash | ADMINISTRATION OFFICE | | | | |
| С | ADMINISTRATION OFFICE | | | | |
| \vdash | OFFICE TABLE: Overall structure and de | | | | |
| | OFFICE TABLE: Overall structure made | 3 | | | |
| | of first grade 16mm LMDF (Laminated | | | | |
| | Medium Density Fiber) Board having | | | | |
| | scratch resistant surface. Worktop | | | | |
| | thickness should be 32mm. All edges | | | | |
| | are banding with plastic PVC tape | | | | |
| | | | | | |
| | 2MM, table top supporting frame | | | | |
| 1 | made in 18 SWG mild steel Pipe duly | | 1 | Pcs | 6'W X 3'D X 30"H |
| | Black powder coted finish. Plastic | | | | |
| | glides for floor safety Mobile Drawer | | | | |
| | Pedestals Gourmet holes with cap for | | | | |
| | · · · · · · · · · · · · · · · · · · · | | | | |
| | wiring and Technology Box. Complete | | | | |
| | in all aspects with necessary hardware | | | | |
| | and fixing arrangements as per | | | | |
| | approved image/Design. | | | | |
| | SIDE RACK: Overall structure made of | 100 | | | |
| | first grade 16mm LMDF (Laminated | The same | | | |
| | _ | | | | |
| 2 | Medium Density Fiber) Board having | | 1 | Pcs | Standard Size |
| - | scratch resistant surface. Worktop | | | | |
| | thickness should be 32mm. All edges | | | | |
| | are banding with plastic PVC tape | | | | |
| | 5 - Filtra 112 mpc | | | | |

| | 2MM, table top supporting frame | | | | |
|---|--|--|----------|-----|----------------------|
| | made in 18 SWG mild steel Pipe duly | | | | |
| | Black powder coted finish. Plastic | | | | |
| | glides for floor safety. Mobile Drawer | | | | |
| | Pedestals Gourmet holes with cap for | | | | |
| | wiring and Technology Box. Complete | | | | |
| | in all aspects with necessary hardware | | | | |
| | | | | | |
| | and fixing arrangements as per | | | | |
| | approved image/Design. | | | | |
| | FILE RACK: Overall structure made of | 1 | | | |
| | first grade 16mm LMDF (Laminated | | | | |
| | Medium Density Fiber) Board having | V · | | | |
| | scratch resistant surface. Worktop | K miles | | | |
| | thickness should be 32mm. All edges | | | | |
| | are banding with plastic PVC tape | | | | |
| | 2MM, table top supporting frame | | | | |
| 3 | | | 1 | Pcs | Standard Size |
| 3 | made in 18 SWG mild steel Pipe duly | | 1 | PCS | Standard Size |
| | Black powder coted finish. Plastic | | | | |
| | glides for floor safety. Mobile Drawer | | | | |
| | Pedestals Gourmet holes with cap for | | | | |
| | wiring and Technology Box. Complete | | | | |
| | in all aspects with necessary hardware | | | | |
| | and fixing arrangements as per | | | | |
| | approved image/Design. | | | | |
| - | EXECUTIVE CHAIRS HIGH BACK NECK | | | | |
| | | | | | |
| | SUPPORT: Seat & back made of bend | | | | |
| | plywood shell upholstery with 100% | | | | |
| | Duralene Olefin fabrics / Best Quality | | | | |
| | Leatherite in approved Color. Inside | TEXA | | | |
| | high density, Environmental friendly, | The state of the s | | | |
| | harmless sponge sheet. Durable soft | | | | 401444 00115 4 4014 |
| 4 | padded arms, Heavy duty five stars S.S | | 1 | Pcs | 10'W X 20"D X 10'H |
| | base with caster wheels. Adjustable | | | | |
| | height and tilt able backrest. | | | | |
| | Complete in all aspects with | | | | |
| | | " % A | | | |
| | necessary hardware and fixing | | | | |
| | arrangements. As per approved | | | | |
| | image/Design. | | | | |
| | VISITOR'S CHAIRS HIGH BACK: Seat & | | | | |
| | back made of bend plywood shell | Constant of | | | |
| | upholstery with 100% Duralene Olefin | | | | |
| | fabrics / Best Quality Leatherite in | | | | |
| | Brown Color. Inside high density, | 12 1 | | | |
| | Environmental friendly, harmless | | | | |
| | The state of the s | - | | | |
| 5 | sponge sheet. Durable soft padded | | 2 | Pcs | 12'W X 20"D X 10'H |
| | arms, Heavy duty five star S.S base | | | | |
| | without caster wheels. Adjustable | | | | |
| | height and tilt able backrest. | | | | |
| | Complete in all aspects with | | | | |
| | necessary hardware and fixing | | | | |
| | arrangements. As per approved | | | | |
| | image/Design. | | | | |
| | CONFERENCE ROOM | | | | |
| D | CO.II. ENERGE NOOIVI | | | | |
| | EXECUTIVE CONFERENCE TABLE: | | | | |
| | Overall made of 32 mm first grade | | | | |
| | · · · · · · · · · · · · · · · · · · · | The state of the s | | | |
| | LMDF (Laminated Medium Density | | | | |
| | Fiber) Board having scratch resistant | 1 | | | |
| | surface. All edges are banding with | | | | |
| | plastic PVC tape 2MM, glue, Base | | | | |
| | frame Leg Pedestals made in 18 SWG | | | | |
| | mild steel Pipe dully Black powder | | _ | B | AID V 42IM V 20III I |
| 1 | coted finish. Plastic glides for floor | | 1 | Pcs | 4'D X 13'W X 30"H |
| | safety. Including Multifunctional | | | | |
| | | | | | |
| | Sockets (as demanded). Gourmet | | | | |
| | holes with cap for wiring and | | | | |
| | Technology Box Complete in all | | | | |
| | aspects with necessary hardware and | | | | |
| | fixing arrangements as per approved | | | | |
| | image/Design. | | <u> </u> | | |
| _ | | | | | |

| 2 | CONFERENCE CHAIRS: Seat & back made of bend plywood shell upholstery with 100% Duralene Olefin fabrics / Best Quality Leatherite in approved Color. Inside high density, Environmental friendly, harmless sponge sheet. Durable soft padded arms, Heavy duty five stars S.S base with caster wheels. Adjustable height and tilt able backrest. Complete in all aspects with necessary hardware and fixing arrangements. As per approved image/Design. | 13 | Pcs | STANDARD SIZE |
|---|--|----|-----|-------------------|
| 4 | OFFICE CREDENZA: Overall made of first grade 16mm LMDF (Laminated Medium Density Fiber) Board having scratch resistant surface. Worktop thickness should be 32mm. All edges are banding with plastic PVC tape 2MM, table top supporting frame made in 18 SWG mild steel Pipe duly Black powder coted finish. Plastic glides for floor safety. Complete in all aspects with necessary hardware and fixing arrangements as per approved image/Design. | 2 | Pcs | 6'w x 20"d x 36"h |
| 5 | BACK PANEL: Overall structure made of first grade 16mm LMDF (Laminated Medium Density Fiber) Board having scratch resistant surface. Worktop thickness should be 32mm. All edges are banding with plastic PVC tape 2MM, Gourmet holes with cap for wiring and Technology Box. Complete in all aspects with necessary hardware and fixing arrangements as per approved image/Design. | 1 | Pcs | 4'W X 8'H |
| Е | SOFTWARE HOUSE OFFICE | | | |
| 1 | OFFICE TABLE: Overall structure made of first grade 16mm LMDF (Laminated Medium Density Fiber) Board having scratch resistant surface. Worktop thickness should be 32mm. All edges are banding with plastic PVC tape 2MM, table top supporting frame made in 18 SWG mild steel Pipe duly Black powder coted finish. Plastic glides for floor safety. Mobile Drawer Pedestals Gourmet holes with cap for wiring and Technology Box. Complete in all aspects with necessary hardware and fixing arrangements as per approved image/Design. | 1 | Pcs | 6'W X 3'D X 30"H |
| 2 | SIDE RACK: Overall structure made of first grade 16mm LMDF (Laminated Medium Density Fiber) Board having scratch resistant surface. Worktop thickness should be 32mm. All edges are banding with plastic PVC tape 2MM, table top supporting frame made in 18 SWG mild steel Pipe duly Black powder coted finish. Plastic glides for floor safety. Mobile Drawer Pedestals Gourmet holes with cap for wiring and Technology Box. Complete in all aspects with necessary hardware and fixing arrangements as per approved image/Design. | 1 | Pcs | 3'6"W X 1'8"D |

| 3 | EXECUTIVE CHAIRS HIGH BACK NECK SUPPORT: Seat & back made of bend plywood shell upholstery with 100% Duralene Olefin fabrics / Best Quality Leatherite in approved Color. Inside high density, Environmental friendly, harmless sponge sheet. Durable soft padded arms, Heavy duty five stars S.S base with caster wheels. Adjustable height and tilt able backrest. Complete in all aspects with necessary hardware and fixing arrangements. As per approved image/Design. | | 1 | Pcs | 4'D X 12'W X 30"H |
|---|--|-----|----|-----|--------------------|
| 4 | WORKSTATIONS: Overall made of first grade 16mm Thick LMDF (Laminated Medium Density Fiber) Board having scratch resistant surface. Worktop thickness should be 32mm. All edges are banding with plastic PVC tape 2MM. Gourmet holes with cap for wiring and Technology Box. Complete in all aspects with necessary hardware (Electrical Sockets (Schneider, Clipsal or equivalent) and fixing arrangements as per approved image/Design. | | 8 | Pcs | 3'6"W X 2'D X 30"H |
| 5 | DRAWER TROLLY: Overall made of first grade 16mm Thick LMDF (Laminated Medium Density Fiber) Board having scratch resistant surface. Worktop thickness should be 32mm. All edges are banding with plastic PVC tape 2MM. With portions Wheels | | 8 | Pcs | STANDARD SIZE |
| 6 | MANAGER CHAIR HIGH BACK Seat & back made of imported quality PU shell upholstery with 100% Duralene Olefin fabrics / Best Quality Mesh Fabric. Inside high density, Environmental friendly, harmless sponge sheet. Durable PU arms, Heavy duty five star S.S base with caster wheels. Adjustable height and reclining backrest. Complete in all aspects with necessary hardware and fixing arrangements. As per approved image/Design. | | 8 | Pcs | STANDARD SIZE |
| F | MAIN HALL (Ground floo | or) | | | |
| 1 | WORKSTATIONS (LINEAR & HEXAGONAL COMBINATION PATTERN): Overall made of first grade 16mm Thick LMDF (Laminated Medium Density Fiber) Board having scratch resistant surface. Worktop thickness should be 32mm. All edges are banding with plastic PVC tape 2MM. Gourmet holes with cap for wiring and Technology Box. Complete in all aspects with necessary hardware (Electrical Sockets (Schneider, Clipsal or equivalent) and fixing arrangements as per approved image/Design. | | 88 | Pcs | 4'W X 2'D X 30"H |
| 2 | DRAWER TROLLY: Overall made of first grade 16mm Thick LMDF (Laminated Medium Density Fiber) Board having scratch resistant | | 88 | Pcs | Standard Size |

| | surface. Worktop thickness should be | | | | |
|---|---|----------------------|----|------|--------------------|
| | 32mm. All edges are banding with plastic PVC tape 2MM. With portions | | | | |
| | and Wheels | | | | |
| | work station chairs : Seat & back | | | | |
| | made of imported quality PU shell | | | | |
| | upholstery with 100% Duralene | | | | |
| | Olefin fabrics / Best Quality Mesh | | | | |
| | Fabric. Inside high density, | | | | |
| | Environmental friendly, harmless | | | | |
| 3 | sponge sheet. Durable PU arms, Heavy duty five star | | 88 | Pcs | Standard Size |
| | S.S base with caster wheels. | | | | |
| | Adjustable height and reclining | 7 8 7 | | | |
| | backrest. Complete in all aspects with | | | | |
| | necessary hardware and fixing arrangements. As per approved | | | | |
| | image/Design. | | | | |
| | Working Meeting Table for (08- | | | | |
| | person): Overall made of 32 mm first | | | | |
| | grade LMDF (Laminated Medium | | | | |
| | Density Fiber) Board having scratch resistant surface. All edges are | | | | |
| | banding with plastic PVC tape 2MM, | | | | |
| | glue, Base frame Leg Pedestals made | | | | |
| 4 | in 18 SWG mild steel Pipe dully Black | As per design/layout | 1 | SETS | 22"W X 60"D X 22"H |
| | powder coted finish. Plastic glides for floor safety. Including Multifunctional | | | | |
| | Sockets (as demanded). Gourmet | | | | |
| | holes with cap for wiring and | | | | |
| | Technology Box Complete in all | | | | |
| | aspects with necessary hardware and fixing arrangements as per approved | | | | |
| | image/Design. | | | | |
| | chairs (Different Colors as per | | | | |
| | design): Seat & back made of | T . | | | |
| | imported quality PU shell upholstery | 45 | | | |
| | with 100% Duralene Olefin fabrics / | | | | |
| | Best Quality Mesh Fabric. Inside high density, Environmental | | | | |
| 5 | friendly, harmless sponge sheet. | | | Dec | Standard Size |
| 5 | Durable PU arms, Heavy duty five star | | 8 | Pcs | Standard Size |
| | S.S base with caster wheels. | | | | |
| | Adjustable height and reclining | | | | |
| | backrest. Complete in all aspects with necessary hardware and fixing | | | | |
| | arrangements. As per approved | | | | |
| | image/Design. | | | | |
| | Working Meeting Table for (04- | | | | |
| | person): Overall made of 32 mm first grade LMDF (Laminated Medium | | | | |
| | Density Fiber) Board having scratch | | | | |
| | resistant surface. All edges are | | | | |
| | banding with plastic PVC tape 2MM, | | | | |
| | glue, Base frame Leg Pedestals made | | | | |
| 6 | in 18 SWG mild steel Pipe dully Black powder coted finish. Plastic glides for | As per design/layout | 2 | SETS | 22"W X 36"D X 22"H |
| | floor safety. Including Multifunctional | | | | |
| | Sockets (as demanded). Gourmet | | | | |
| | holes with cap for wiring and | | | | |
| | Technology Box Complete in all aspects with necessary hardware and | | | | |
| | fixing arrangements as per approved | | | | |
| | image/Design. | | | | |
| | chairs (Different Colors as per | - | | | |
| 7 | design): Seat & back made of | TO T | 8 | Pcs | Standard Size |
| ' | imported quality PU shell upholstery | | ~ | | Jestidal d Size |
| | with 100% Duralene Olefin fabrics / | | Ì | I | İ |

| | | | | T | <u>, </u> |
|----|--|-----------------------|----|-----|--|
| | Best Quality Mesh Fabric. Inside high density, Environmental friendly, harmless sponge sheet. Durable PU arms, Heavy duty five star S.S base with caster wheels. Adjustable height and reclining backrest. Complete in all aspects with necessary hardware and fixing arrangements. As per approved image/Design. | | | | |
| 8 | smart sittings bench with pillars: | as per design /layout | 6 | pcs | Sizes as per layout |
| 9 | SECTIONAL SOFA-4 PERSON SITTTING: Providing & Laying fully Upholstered sofa with high density, Environmental friendly, harmless sponge & polyester wadding sheet with modern stitched smooth & curved design for a seamless comfortable sitting experience & covered with superlative Fabric to give a lavish look. Approved polyvinyl chloride-coated fabrics with modern stitched smooth rounded edges design. Inner structure made of plywood & eucalyptus wood durable framing. Uses high quality elastic webbing to support seat & back cushions. Outer Structure made in solid Mahogany wood and must be processed with termite treatment to eliminate & resist in future termite infestations. Complete finished with high quality Polish and lacquers for a long lasting shine using automated / semi-automated polish processing unit. Polish should be 2 base coats and 1 upper coat for ultimate smooth surface and non-yellowing characteristics. Complete in all respects with necessary hardware and fixing arrangements as per approved image/Design. | | 4 | Pcs | |
| 10 | SOFA CHAIRS: High quality with high grade materials | | 4 | Pcs | STANDARD SIZE |
| 11 | ROUND CENTRE TABLE same as per workstation material sheets in different color pattern/same/mounting job around pillars added in it | | 2 | job | THE COLUMN TO |
| 12 | BAR STOOLS (Different color schemes as per design requirement): Providing & Laying fully Upholstered bar stool/chair with high density, Environmental friendly, harmless sponge & polyester wadding sheet with modern stitched smooth & curved design for a seamless comfortable sitting experience & covered with superlative Fabric to give a lavish look with wood stool legs covered with metal. | | 47 | Pcs | Standard Size |

| 13 | COUNTER TABLE (Executive quality finished wood Specifications): : Overall structure made of first grade 16mm LMDF (Laminated Medium Density Fiber) Board having scratch resistant surface. Thickness should be 32mm. All edges are banding with plastic PVC tape 2MM, table top supporting frame made in 18 SWG mild steel Pipe duly Black powder coted finish. Mobile Drawer Pedestals Gourmet holes with cap for wiring and Technology Box. Complete in all aspects with necessary hardware and fixing arrangements as per approved image/Design. | | 1 | Job and Material | 28'+31'+11'10"+12'6"+12'3"+12'1"+1 2'7"+12'+9'10" |
|----|---|--|----|---------------------|--|
| 14 | Wooden louvers for portioning in hall | M. Ta | 8 | | Standard Size |
| 15 | HANGING MULTILAYERED RACKS (FOR BUTIFICATION AROUND THE PILLARS) | 6'H X 2'W X 1'D | 8 | Pcs | 1.00 A. 100 |
| G | FIRST FLOOR | | | | |
| 1 | EXECUTIVE MEETING TABLE: | The state of the s | 1 | Pcs | 4'D X 13'W X 30"H |
| 2 | EXECUTIVE CHAIRS HIGH BACK NECK SUPPORT DIFFERENT COLORS: Seat & back made of bend plywood shell upholstery with 100% Duralene Olefin fabrics / Best Quality Leatherite in approved Color. Inside high density, Environmental friendly, harmless sponge sheet. Durable soft padded arms, Heavy duty five stars S.S base with caster wheels. Adjustable height and tilt able backrest. Complete in all aspects with necessary hardware and fixing arrangements. As per approved image/Design. | | 10 | Pcs | STANDARD SIZE |
| 3 | BOOTH SEATING (FOUR set having 04- person seating) | As per submitted design file /layouts | 4 | sets | |
| Н | ADMIN OFFICE (FIRST FLOOR |) | | | |
| 1 | OFFICE TABLE: Overall structure made of first grade 16mm LMDF (Laminated Medium Density Fiber) Board having scratch resistant surface. Worktop thickness should be 32mm. All edges are banding with plastic PVC tape 2MM, table top supporting frame made in 18 SWG mild steel Pipe duly Black powder coted finish. Plastic glides for floor safety. Mobile Drawer Pedestals Gourmet holes with cap for wiring and Technology Box. Complete in all aspects with necessary hardware | | 1 | Pcs | 6'W X 3'D X 30"H |

| | and fixing arrangements as per | | | | |
|---|---|--|---|-----|--------------------|
| | approved image/Design. | | | | |
| 2 | SIDE RACK: Overall structure made of first grade 16mm LMDF (Laminated Medium Density Fiber) Board having scratch resistant surface. Worktop thickness should be 32mm. All edges are banding with plastic PVC tape 2MM, table top supporting frame made in 18 SWG mild steel Pipe duly Black powder coted finish. Plastic glides for floor safety. Mobile Drawer Pedestals Gourmet holes with cap for wiring and Technology Box. Complete in all aspects with necessary hardware and fixing arrangements as per approved image/Design. | | 1 | Pcs | 3'6"W X 1'8"D |
| 3 | FILE RACK: Overall structure made of first grade 16mm LMDF (Laminated Medium Density Fiber) Board having scratch resistant surface. Worktop thickness should be 32mm. All edges are banding with plastic PVC tape 2MM, table top supporting frame made in 18 SWG mild steel Pipe duly Black powder coted finish. Plastic glides for floor safety. Mobile Drawer Pedestals Gourmet holes with cap for wiring and Technology Box. Complete in all aspects with necessary hardware and fixing arrangements as per approved image/Design. | | 1 | Pcs | 5'W X 20"D X 30"H |
| 4 | OFFICE CHAIRS: Seat & back made of imported quality PU shell upholstery with 100% Duralene Olefin fabrics / Best Quality Mesh Fabric. Inside high density, Environmental friendly, harmless sponge sheet. Durable PU arms, Heavy duty five star S.S base with caster wheels. Adjustable height and reclining backrest. Complete in all aspects with necessary hardware and fixing arrangements. As per approved image/Design. | Manufacture of the state of the | 1 | Pcs | Standard Size |
| 5 | VISITOR'S CHAIRS HIGH BACK: Seat & back made of bend plywood shell upholstery with 100% Duralene Olefin fabrics / Best Quality Leatherite in Brown Color. Inside high density, Environmental friendly, harmless sponge sheet. Durable soft padded arms, Heavy duty five star S.S base without caster wheels. Adjustable height and tilt able backrest. Complete in all aspects with necessary hardware and fixing arrangements. As per approved image/Design. | | 2 | Pcs | Standard Size |
| I | IT ROOM | | | | |
| 1 | WORKSTATION: Overall made of first grade 16mm Thick LMDF (Laminated Medium Density Fiber) Board having scratch resistant surface. Worktop thickness should be 32mm. All edges are banding with plastic PVC tape 2MM. Gourmet holes with cap | 4 | 6 | Pcs | 3'6"W X 2'D X 30"H |

| | for wiring and Technology Box. Complete in all aspects with necessary hardware (Electrical Sockets (Schneider, Clipsal or equivalent) and fixing arrangements as per approved image/Design. | | | | |
|---|--|-------|---|-----|------------------|
| 2 | DRAWER TROLLY: Overall made of first grade 16mm Thick LMDF (Laminated Medium Density Fiber) Board having scratch resistant surface. Worktop thickness should be 32mm. All edges are banding with plastic PVC tape 2MM. With portions and Wheels | 2 3 3 | 6 | Pcs | 2'W X 2'D X 26"H |
| 3 | OFFICE CHAIRS HIGH BACK: Seat & back made of imported quality PU shell upholstery with 100% Duralene Olefin fabrics / Best Quality Mesh Fabric. Inside high density, Environmental friendly, harmless sponge sheet. Durable PU arms, Heavy duty five star S.S base with caster wheels. Adjustable height and reclining backrest. Complete in all aspects with necessary hardware and fixing arrangements. As per approved image/Design. | | 6 | Pcs | Standard Size |
| 4 | VISITOR'S CHAIRS HIGH BACK: Seat & back made of bend plywood shell upholstery with 100% Duralene Olefin fabrics / Best Quality Leatherite in Brown Color. Inside high density, Environmental friendly, harmless sponge sheet. Durable soft padded arms, Heavy duty five star S.S base without caster wheels. Adjustable height and tilt able backrest. Complete in all aspects with necessary hardware and fixing arrangements. As per approved image/Design. | | 2 | Pcs | Standard Size |
| J | SOFTWARE HOUSE OFFICE | | | | |
| 1 | OFFICE TABLE: Overall structure made of first grade 16mm LMDF (Laminated Medium Density Fiber) Board having scratch resistant surface. Worktop thickness should be 32mm. All edges are banding with plastic PVC tape 2MM, table top supporting frame made in 18 SWG mild steel Pipe duly Black powder coted finish. Plastic glides for floor safety. Mobile Drawer Pedestals Gourmet holes with cap for wiring and Technology Box. Complete in all aspects with necessary hardware and fixing arrangements as per approved image/Design. | | 2 | Pcs | 6'W X 3'D X 30"H |
| 2 | SIDE RACK: Overall structure made of first grade 16mm LMDF (Laminated Medium Density Fiber) Board having scratch resistant surface. Worktop thickness should be 32mm. All edges are banding with plastic PVC tape 2MM, table top supporting frame made in 18 SWG mild steel Pipe duly Black powder coted finish. Plastic glides for floor safety. Mobile Drawer Pedestals Gourmet holes with cap for | | 2 | Pcs | 3'6"W X 1'8"D |

| | wiring and Technology Box. Complete | | | | |
|----------|--|--|----------|------|-------------------|
| | in all aspects with necessary hardware | | | | |
| | and fixing arrangements as per | | | | |
| | approved image/Design. | | | | |
| | HEAD CHAIR: Seat & back made | | | | |
| | of bend plywood shell | | | | |
| | upholstery with 100% | | | | |
| | Duralene Olefin fabrics / | | | | |
| | Best Quality Leatherite in | | | | |
| | approved Color. Inside | | | | |
| | high density, | | | | |
| | Environmental friendly, | | | | |
| | harmless sponge sheet. | | | | |
| 3 | Durable soft padded arms, | | 2 | Pcs | Standard Size |
| | Heavy duty five stars S.S | | | | |
| | base with caster wheels. | | | | |
| | Adjustable height and tilt | | | | |
| | - | | | | |
| | able backrest. Complete in | | | | |
| | all aspects with necessary | | | | |
| | hardware and fixing | | | | |
| | arrangements. As per | | | | |
| — | approved image/Design. | | | | |
| | WORKSTATIONS: Overall made of first | | | | |
| | grade 16mm Thick LMDF (Laminated | | | | |
| | Medium Density Fiber) Board having | The second second | | | |
| | scratch resistant surface. Worktop | A | | | |
| | thickness should be 32mm. | STATE OF THE PERSON NAMED IN COLUMN 2 IS NOT THE OWNER. | | | |
| | All edges are banding with plastic PVC | The state of the s | | | |
| 4 | tape 2MM. Gourmet holes with cap | | 16 | Pcs | 4'W X 2'D X 30"H |
| - | | | 10 | 1 63 | - W A Z D A 30 II |
| | for wiring and Technology Box. | The second second | | | |
| | Complete in all aspects with | | | | |
| | necessary hardware (Electrical | | | | |
| | Sockets (Schneider, Clipsal or | | | | |
| | equivalent) and fixing arrangements | | | | |
| | as per approved image/Design. | | | | |
| | DRAWER TROLLY: Overall made of | | | | |
| | first grade 16mm Thick LMDF | | | | |
| | (Laminated Medium Density Fiber) | | | | |
| _ | • | | 4.0 | _ | 6. 1.16. |
| 5 | Board having scratch resistant | | 16 | Pcs | Standard Size |
| | surface. Worktop thickness should be | | | | |
| | 32mm. All edges are banding with | | | | |
| | plastic PVC tape 2MM. With Wheels | | | | |
| | OFFICE CHAIRS HIGH BACK: Seat & | | | | |
| | back made of imported quality PU | | | | |
| | shell upholstery with 100% | | | | |
| | ' ' | | | | |
| | Duralene Olefin fabrics / Best | | | | |
| | Quality Mesh Fabric. Inside high | \ | | | |
| | density, Environmental friendly, | | | | |
| | harmless sponge sheet. | / = | 1.0 | 5 | Granda de Co |
| 6 | . • | | 16 | Pcs | Standard Size |
| | Durable PU arms, Heavy duty five star | 1 | | | |
| | S.S base with caster wheels. | | | | |
| | Adjustable height and reclining | | | | |
| | backrest. Complete in all aspects with | | | | |
| | necessary hardware and fixing | | | | |
| | arrangements. As per approved | | | | |
| | image/Design. | | | | |
| - | MAIN HALL | | | | |
| K | | | <u> </u> | | |
| | WORKSTATIONS (LINEAR & | 4 4 | | | |
| | HEXAGONAL COMBINATION | The state of the s | | | |
| | PATTERN): Overall made of first grade | | | | |
| | 16mm Thick LMDF (Laminated | | | | |
| | | | | | |
| | Medium Density Fiber) Board having | | | | |
| | scratch resistant surface. Worktop | | 0.5 | | Alway ala y ac": |
| 1 | thickness should be 32mm. | | 88 | Pcs | 4'W X 2'D X 30"H |
| | All edges are banding with plastic PVC | | | | |
| | tape 2MM. Gourmet holes with cap | | | | |
| | for wiring and Technology Box. | | | | |
| | Complete in all aspects with | | | | |
| | necessary hardware (Electrical | | | | |
| | Sockets (Schneider, Clipsal or | | | | |
| 1 | (| | | l | |

| | | I | I | T | |
|---|--|-----------------------|----|------|---------------------|
| | equivalent) and fixing arrangements as per approved image/Design. | | | | |
| 2 | DRAWER TROLLY: Overall made of first grade 16mm Thick LMDF (Laminated Medium Density Fiber) Board having scratch resistant surface. Worktop thickness should be 32mm. All edges are banding with plastic PVC tape 2MM. With portions portions and Wheels | | 88 | Pcs | Standard Size |
| 3 | office Chairs High Back: Seat & back made of imported quality PU shell upholstery with 100% Duralene Olefin fabrics / Best Quality Mesh Fabric. Inside high density, Environmental friendly, harmless sponge sheet. Durable PU arms, Heavy duty five star S.S base with caster wheels. Adjustable height and reclining backrest. Complete in all aspects with necessary hardware and fixing arrangements. As per approved image/Design. | | 88 | Pcs | Standard Size |
| 4 | Working Meeting Table for (08- person) same as per workstation materials | As per design/layout | 1 | SETS | Standard Size |
| 5 | OFFICE CHAIRS HIGH BACK: Seat & back made of imported quality PU shell upholstery with 100% Duralene Olefin fabrics / Best Quality Mesh Fabric. Inside high density, Environmental friendly, harmless sponge sheet. Durable PU arms, Heavy duty five star S.S base with caster wheels. Adjustable height and reclining backrest. Complete in all aspects with necessary hardware and fixing arrangements. As per approved image/Design. | | 8 | Pcs | 2'8"D X 4'W X 18"H |
| 6 | Working Meeting Table for (04- person) same as per workstation materials | As per design/layout | 2 | SETS | 22"W X 22"D X 22"H |
| 7 | OFFICE CHAIRS HIGH BACK: Seat & back made of imported quality PU shell upholstery with 100% Duralene Olefin fabrics / Best Quality Mesh Fabric. Inside high density, Environmental friendly, harmless sponge sheet. Durable PU arms, Heavy duty five star S.S base with caster wheels. Adjustable height and reclining backrest. Complete in all aspects with necessary hardware and fixing arrangements. As per approved image/Design. | | 8 | Pcs | 2'8"D X 4'W X 18"H |
| 8 | smart sittings bench with pillars | as per design /layout | 6 | pcs | Sizes as per layout |

| 9 | SECTIONAL SOFA-4 PERSON SITTTING: Providing & Laying fully Upholstered sofa with high density, Environmental friendly, harmless sponge & polyester wadding sheet with modern stitched smooth & curved design for a seamless comfortable sitting experience & covered with superlative Fabric to give a lavish look. Approved polyvinyl chloride-coated fabrics with modern stitched smooth rounded edges design. Inner structure made of plywood & eucalyptus wood durable framing. Uses high quality elastic webbing to support seat & back cushions. Outer Structure made in solid Mahogany wood and must be processed with termite treatment to eliminate & resist in future termite infestations. Complete finished with high quality Polish and lacquers for a long lasting shine using automated / semi-automated polish processing unit. Polish should be 2 base coats and 1 upper coat for ultimate smooth surface and non-yellowing characteristics. Complete in all respects with necessary hardware and fixing arrangements as per approved image/Design. | 4 | Pcs | |
|----|--|----|-----|--|
| 10 | SOFA CHAIRS: High quality with high grade materials | 4 | Pcs | STANDARD SIZE |
| 11 | ROUND CENTRE TABLE same as per workstation material sheets in different color pattern/same/mounting job around pillars added in it | 2 | Pcs | THE STATE OF THE S |
| 12 | BAR STOOLS (Different color schemes as per design requirement): Providing & Laying fully Upholstered bar stool/chair with high density, Environmental friendly, harmless sponge & polyester wadding sheet with modern stitched smooth & curved design for a seamless comfortable sitting experience & covered with superlative Fabric to give a lavish look with wood stool legs edges covered with metal. | 49 | Pcs | Standard Size |
| 13 | COUNTER TABLE (Executive quality finished wood Specifications): Overall structure made of first grade 16mm LMDF (Laminated Medium Density Fiber) Board having scratch resistant surface. Thickness should be 32mm. All edges are banding with plastic PVC tape 2MM, table top supporting frame made in 18 SWG mild steel Pipe duly Black powder coted finish. Mobile Drawer Pedestals Gourmet holes with cap for wiring and Technology Box. Complete in all aspects with necessary hardware and fixing arrangements as per approved image/Design. | 1 | job | 33'W+ 29'10"+31'+12'+13'+13'+12'7"+12'+9' +6'W |

| HANGING MULTILAPRED RACKS PILLARS; L TERRACE-OUTDOOR FURNITURE (FIRST FLOOR) 1 DIFFER SATED SOFA with weather proof fabric from covers for OUTDOOR will be finalized after sampling. 2 SNGLE SATED SOFA with weather proof fabric foam covers for OUTDOOR will be finalized after sampling. 3 CENTRE TABLE for OUTDOOR with weather some final weather some fabric foam covers for OUTDOOR will be finalized after sampling. 4 SIDE TABLES for OUTDOOR with weather some fabric foam covers for OUTDOOR will be finalized after sampling. 5 DOOL TABLES High quality material with Standard Size. 6 DOOL TABLES High quality material with Standard Size. 7 FOOSE BALL TABLES High quality material with Standard Size. 8 DOOL TABLES High quality material with Standard Size. 9 FOOSE BALL TABLES High quality material with Standard Size. 1 PCs 25°D X 4°D X 3°C H 4 CHARS For OUTDOOR will be finalized after sampling. 9 ACHIEVE SITTING TABLES for OUTDOOR will be finalized after sampling. 9 CAFTERIA (GROUND FLOOR) 1 CURVE SITTING: As per design requirement. 1 PCS 3TANDARD SIZE 1 CURVE SITTING: As per design requirement. 1 PCS 4*DIAX 30°H 2 ROUND TABLE: Overall structure made of first grade form More floor and cloths covering an and grades provided in an appropried in all aspects with necessary hardware and fixing an approved image/Depice. 1 PCS 4*DIAX 30°H 4 A PCS ON TABLES OVERALL STANDARD SIZE 1 PCS 4*DIAX 30°H 4 A PCS ON TABLES OVERALL STANDARD SIZE 2 PCS 4*DIAX 30°H 4 A PCS ON TABLES OVERALL STANDARD SIZE 3 ACTION TABLES OVERALL STANDARD SIZE STANDARD SIZE 4 A PCS ON TABLES OVERALL STANDARD SIZE STAN | | | | | | |
|--|----|---|-----------------|----|-----|----------------------|
| THREE SCATED SOFA with weather proof fabric foam covers for OUTDOOR will be finalized after sampling SINGUE SATED SOFA with weather proof fabric foam covers for OUTDOOR will be finalized after sampling CENTRE TABLE for OUTDOOR with weather proof fabric foam covers for OUTDOOR will be finalized after sampling SIDE TABLES for OUTDOOR with weather proof fabric foam covers for OUTDOOR will be finalized after sampling M Saming Area 1 POOL TABLES: High quality material with Standard Size 2 PCS Standard Size Standard Size 1 PCS Standard Size Standard Size 1 PCS Standard Size Standard Size Standard Size 1 PCS Standard Size Standard Size Standard Size Standard Size 1 PCS Standard Size Standard Size Standard Size 1 PCS Standard Size Standard Size 1 PCS Standard Size 2 PCS Standard Size 1 PCS Standard Size 1 PCS Standard Size 2 PCS Standard Size 2 PCS Standard Size 3 OUTDOOR will be finalized after sampling N CANETERIA (GROUND FLOOR) 1 CURVE SITTING: As per design requirement pool first grade form LMDF (Lamnated Medium Density Fiber) Board having scratch resistant surface. Thickness should be Szimm. All edges who banding with plaster PCS with necessary hardware and fising arrangements as per approved image/Design. 4 PCS 4'DIA X 30'H 4 PCS 4'DIA X 30'H 4 PCS 4'DIA X 30'H | 14 | (FOR BUTIFICATION AROUND THE | 6'H X 2'W X 1'D | 8 | Pcs | |
| 1 proof fabric foam covers for OUTDOOR will be finalized after sampling 2 proof fabric foam covers for OUTDOOR will be finalized after sampling 3 SINGLE SATETE SOFA with weather proof fabric foam covers for OUTDOOR will be finalized after sampling 4 SINGLE SHEET TABLES for OUTDOOR with weather proof fabric foam covers for OUTDOOR will be finalized after sampling 5 SIDE TABLES for OUTDOOR will be finalized after sampling 6 Gaming Area 7 PCS Standard Size 8 Standard Size 9 PCS Standa | L | TERRACE-OUTDOOR FURNITURE (FIRST | FLOOR) | | | 100 |
| 2 Pcs Standard Size CENTRE TABLE for OUTDOOR with weather proof fabric foam covers for OUTDOOR will be finalized after sampling CENTRE TABLES for OUTDOOR with weather proof fabric foam covers for OUTDOOR will be finalized after sampling M Caming Area 1 Pcs Standard Size Pcs Standard Size Pcs Standard Size Pcs Standard Size 1 Pcs Standard Size Pcs Standard Size Pcs Standard Size 1 Pcs Standard Size 1 Pcs I0/W X 5/D X 31*h 1 | proof fabric foam covers for OUTDOOR will be finalized after sampling | | 2 | Pcs | Standard Size |
| 3 weather proof fabric foam covers for OUTDOOR will be finalized after sampling 4 OUTDOOR will be finalized after sampling 5 Standard Size 5 Standard Size 6 Pcs Standard Size 7 Pcs Standard Size 8 Standard Size 8 Pcs Standard Size 9 Pcs Standard Size 9 Pcs Standard Size 1 Pcs 10"W X S'D X 31"h 1 Pcs 10"W X S'D X 31"h 1 Pcs 26"D X 4'6"W X 36"H 2 Pcs 4 TDIA 3 ROUND SITTING TABLES for OUTDOOR will be finalized after sampling 8 Pcs 4 TDIA 4 CHAIRS for OUTDOOR will be finalized after sampling 9 Pcs Standard Size 1 CURVE SITTING: As per design requirement 1 Pcs Standard Size 1 CURVE SITTING: As per design requirement 1 Pcs STANDARD SIZE 1 ROUND TABLE: Overall structure made of first grade 16mm LMDF (Laminated Medium Density Fiber) Board having scratch resistant surface. Thickness should be 3 2mm. All edges are banding with plastic Pc Lape 2 MM. Complete in all aspects with necessary hardware and fising arrangements as per approved image/Design. 4 Pcs 4 4 DIA X 30"H | 2 | proof fabric foam covers for OUTDOOR will be finalized after | | 2 | Pcs | Standard Size |
| 4 weather proof fabric foam covers for OUTDOOR will be finalized after sampling 1 POOL TABLES: High quality material with Standard Size 2 PCS 10'W X 5'D X 31"h 1 Pcs 10'W X 5'D X 31"h 1 Pcs 2'6'D X 4'6'W X 36"H 2 ROUND SITTING TABLES for OUTDOOR will be finalized after sampling 4 CHAIRS for OUTDOOR will be finalized after sampling CAPETERIA (GROUND FLOOR) 2 RESTAURANT CHAIRS: will be finalized after sampling 2 PCS Standard Size 4 PCS STANDARD SIZE 2 PCS STANDARD SIZE 2 PCS STANDARD SIZE 4 PCS A'DIA STANDARD SIZE 2 PCS STANDARD SIZE 4 PCS A'DIA X 30"H 4 PCS A'DIA X 30"H | 3 | weather proof fabric foam covers for OUTDOOR will be finalized after | | 1 | Pcs | Standard Size |
| 1 PCS 10WX5'DX31"h 1 PCS 10WX5'DX31"h 1 PCS 2'6"DX4'6"WX36"H 2 FOOSE BALL TABLES: High quality materials with Standard Size 1 PCS 2'6"DX4'6"WX36"H 3 ROUND SITTING TABLES for OUTDOOR will be finalized after sampling 4 CHAIRS for OUTDOOR will be finalized after sampling 4 CHAIRS for OUTDOOR will be finalized after sampling 5 CURVE SITTING: As per design requirement 2 PCS Standard Size 2 PCS STANDARD SIZE RESTAURANT CHAIRS: will be finalized after sampling ROUND TABLE: Overall structure made of first grade 16mm LMDF (Laminated Medium Density, Fiber) Board having scratch resistant All edges are banding with plastic PVC tage 2MM. Complete in all aspects with necessary hardware and fixing arrangements as per approved image/Design. 4 PCS 4'DIA X30"H 4 PCS 4'DIA X30"H | 4 | weather proof fabric foam covers for OUTDOOR will be finalized after | | 2 | Pcs | Standard Size |
| with Standard Size 1 PCS 10W X 9 DX 31 Th 1 PCS 2'6"D X 4'6"W X 36"H 1 PCS 2'6"D X 4'6"W X 36"H 1 PCS 2'6"D X 4'6"W X 36"H 1 PCS 4'DIA ROUND SITTING TABLES for OUTDOOR will be finalized after sampling 1 CHAIRS for OUTDOOR will be finalized after sampling 2 PCS Standard Size 1 PCS Standard Size 2 PCS STANDARD SIZE ROUND TABLE: Overall structure made of first grade 16mm LMDF (Laminated Medium Density Filber) Board having scratch resistant Surface. Thickness should be 32mm. All edges are banding with plastic PVC tape 2MM. Complete in all aspects with necessary hardware and fixing arrangements as per approved image/Design. 4 PCS 4'DIA X 30"H 1 PCS 4'DIA X 30"H | М | Gaming Area | | | | |
| materials with Standard Size ROUND SITTING TABLES for OUTDOOR will be finalized after sampling CHAIRS for OUTDOOR will be finalized after sampling CHAIRS for OUTDOOR will be finalized after sampling CURVE SITTING: As per design requirement CURVE SITTING: As per design after sampling ROUND TABLE: Overall structure made of first grade 16mm LMDF (Laminated Medium Density Fiber) Board having scratch resistant surface. Thickness should be 32mm. All edges are banding with plastic PVC tape 2MM. Complete in all aspects with necessary hardware and fixing arrangements as per approved image/Design. 4 PCS 4'DIA X 30"H PCS 4'DIA X 30"H | 1 | 9 | D. D. | 1 | Pcs | 10'W X 5'D X 31"h |
| 3 OUTDOOR will be finalized after sampling 4 CHAIRS for OUTDOOR will be finalized after sampling N CAFETERIA (GROUND FLOOR) 1 CURVE SITTING: As per design requirement 2 PCS Standard Size 4 PCS Standard Size 7 PCS STANDARD SIZE 8 PCS STANDARD SIZE 7 PCS A'DIA X 30"H 4 PCS 4 DIA X 30"H | 2 | | | 1 | Pcs | 2'6"D X 4'6"W X 36"H |
| after sampling CAFETERIA (GROUND FLOOR) 1 CURVE SITTING: As per design requirement 2 PCS RESTAURANT CHAIRS: will be finalized after sampling ROUND TABLE: Overall structure made of first grade 16mm LMDF (Laminated Medium Density Fiber) Board having scratch resistant surface. Thickness should be 32mm. All edges are banding with plastic PVC tape 2MM. Complete in all aspects with necessary hardware and fixing arrangements as per approved image/Design. 4 PCS STANDARD SIZE PCS 4'DIA X 30"H | 3 | OUTDOOR will be finalized after | | 4 | Pcs | 4'DIA |
| 1 CURVE SITTING: As per design requirement 2 RESTAURANT CHAIRS: will be finalized after sampling 4 PCS STANDARD SIZE ROUND TABLE: Overall structure made of first grade 16mm LMDF (Laminated Medium Density Fiber) Board having scratch resistant surface. Thickness should be 32mm. All edges are banding with plastic PVC tape 2MM. Complete in all aspects with necessary hardware and fixing arrangements as per approved image/Design. 4 PERSON DINNING SET FOR CAFÉ: Wood Chairs with foam and cloths | 4 | | | 16 | Pcs | Standard Size |
| 2 RESTAURANT CHAIRS: will be finalized after sampling 4 PCS STANDARD SIZE ROUND TABLE: Overall structure made of first grade 16mm LMDF (Laminated Medium Density Fiber) Board having scratch resistant surface. Thickness should be 32mm. All edges are banding with plastic PVC tape 2MM. Complete in all aspects with necessary hardware and fixing arrangements as per approved image/Design. 4 PCS STANDARD SIZE 2 PCS 4'DIA X 30"H | N | CAFETERIA (GROUND FLOOR) | | | | |
| 2 ROUND TABLE: Overall structure made of first grade 16mm LMDF (Laminated Medium Density Fiber) Board having scratch resistant surface. Thickness should be 32mm. All edges are banding with plastic PVC tape 2MM. Complete in all aspects with necessary hardware and fixing arrangements as per approved image/Design. 4 PERSON DINNING SET FOR CAFÉ: Wood Chairs with foam and cloths | 1 | | | 2 | PCS | |
| made of first grade 16mm LMDF (Laminated Medium Density Fiber) Board having scratch resistant surface. Thickness should be 32mm. All edges are banding with plastic PVC tape 2MM. Complete in all aspects with necessary hardware and fixing arrangements as per approved image/Design. 4 PERSON DINNING SET FOR CAFÉ: Wood Chairs with foam and cloths 1 PCS 4'DIA X 30"H | 2 | | | 4 | PCS | STANDARD SIZE |
| 4 Wood Chairs with foam and cloths 1 PCS 4'DIA X 30"H | 3 | made of first grade 16mm LMDF (Laminated Medium Density Fiber) Board having scratch resistant surface. Thickness should be 32mm. All edges are banding with plastic PVC tape 2MM. Complete in all aspects with necessary hardware and fixing arrangements as per approved | | 2 | PCS | 4'DIA X 30"H |
| | 4 | Wood Chairs with foam and cloths | | 1 | PCS | 4'DIA X 30"H |

| 4 PERSON RECTANGULAR SET: Wood Chairs with foam and cloths covering 2 PCS 4'W X4'D X 30"H CAFÉ CHAIRS: Wood Chairs with foam and cloths covering 12 PCS STANDARD SIZE SITTING BENCH for Cafe: Overall structure made of first grade 16mm LMDF (Laminated Medium Density Fiber) Board having scratch resistant surface. Thickness should be 32mm. All edges are banding with plastic PVC tape 2MM. Complete in all aspects with necessary hardware and fixing arrangements as per approved image/Design. CENTRE TABLE: Overall structure | |
|--|--|
| SITTING BENCH for Cafe: Overall structure made of first grade 16mm LMDF (Laminated Medium Density Fiber) Board having scratch resistant surface. Thickness should be 32mm. All edges are banding with plastic PVC tape 2MM. Complete in all aspects with necessary hardware and fixing arrangements as per approved image/Design. STANDARD SIZE PCS STANDARD SIZE 12 PCS 8'W X 2'D | |
| structure made of first grade 16mm LMDF (Laminated Medium Density Fiber) Board having scratch resistant surface. Thickness should be 32mm. All edges are banding with plastic PVC tape 2MM. Complete in all aspects with necessary hardware and fixing arrangements as per approved image/Design. 12 PCS 8'W X 2'D | |
| CENTRE TARIES Occasil structure | |
| 8 | |
| 9 CAFÉ CHAIRS to be finalized after sampling 2 PCS Standard Size | |
| 2 PERSON SITTING TABLE: Overall structure made of first grade 16mm LMDF (Laminated Medium Density Fiber) Board having scratch resistant surface. Thickness should be 32mm. All edges are banding with plastic PVC tape 2MM. Complete in all aspects with necessary hardware and fixing arrangements as per approved image/Design. | |
| 2 PERSON SITTING BENCH: Overall structure made of first grade 16mm LMDF (Laminated Medium Density Fiber) Board having scratch resistant surface. Thickness should be 32mm. All edges are banding with plastic PVC tape 2MM. Complete in all aspects with necessary hardware and fixing arrangements as per approved image/Design. | |
| WOODEN LOUVERS: Overall structure made of first grade 16mm LMDF (Laminated Medium Density Fiber) Board having scratch resistant surface. Thickness should be 32mm. All edges are banding with plastic PVC tape 2MM. Complete in all aspects with necessary hardware and fixing arrangements as per approved image/Design. | |
| 0 | |

| 1 | 02-Bed Room display roof top as per client input | 02-single Bed with side tables +01-mattress sheets + 02- chairs+center table+01-curtains set + bed linene +bath linen set+rugs + 02 lamps etc + WOODEN FLOOR+wallpaper | 2 | job | As per attached design + layout plan |
|---|--|---|------|------|--|
| Р | GROUND FLOOR OUTDOO | R AREA | | | |
| 1 | FOUR PERSON SITTING: with weather proof fabric foam covers for OUTDOOR will be finalized after sampling | | 4 | SETS | Standard Size |
| 2 | WOODEN BENCH STTING: Overall made of first grade 16mm Thick LMDF (Laminated Medium Density Fiber) Board having scratch resistant surface. Worktop thickness should be 32mm. All edges are banding with plastic PVC tape 2MM and fixing arrangements as per approved image/Design. | as per submitted design requirement | 2 | SETS | Standard Size |
| 2 | OUTDOOR FIREPIT | as per submitted design requirement | 2 | SETS | Standard Size |
| Q | Fixture, Renovation | | | | |
| 1 | WOODEN FLOORING, 08mm thick Laminate flooring with 3R Tap & Go locking technology, Complete in all aspects with necessary hardware and fixing arrangements as per approved drawings/layout plan. | | 3000 | Sft. | Standard Size |
| 2 | Rugs (Different sizes as per design requirements) | | 20 | Nos. | Different sizes as per design requirements |
| 3 | Bean Bags | | 30 | Nos. | Standard Size |
| 4 | Sunscreen roller up blinds to reduce daytime glare, block UV rays, and retain the view, without losing the light & view entirely. | | 1500 | Sft. | Standard Size |

Note:

- Any brand names mentioned in the BOQ are for reference purposes only to understand the required specifications, and the bidders can quote the equivalent item that meets required specification.
- The measurement and quantities are based on the best estimate for comparison purposes, and the actual measurement and quantities may differ at the time of installation.
- The Purchaser is in no way bound to order the measurement and quantities as mentioned in the BOQ.
- Payment for the items whereby the unit of measurement is in square feet, shall be made as per actual.

BOQ – ELECTRICAL & IT WORK:

| Item No. | Description | Unit Brand or Equivalent | | QTY | |
|-------------|---|--------------------------|---------------------------------------|-----------|--|
| Α | PVC Cables & Pipes | | | | |
| 1 | PVC pipe 2" | Length | Popular/GM | 24 | |
| 2 | Bend 2" | Nos | Popular/GM | 12 | |
| 3 | socket 2" | Nos | Popular/GM | 12 | |
| 4 | PVC Pipe 1" | Lengths | Popular/GM | 550 | |
| 5 | Steel Screw 1(1/2) | Вох | Local | 3 | |
| 6 | PVC Gatti 12 No | Box | Local | 3 | |
| 7 | Pvc Socket 1" | Nos | Popular | 200 | |
| 8 | Pvc Bend 1" | Nos | Popular | 400 | |
| 9 | Solution | Nos | Popular | 5 | |
| 10 | PVC wall junction box 1" | Вох | Popular | 120 | |
| | 3/.29 cable (Standard Pack - 90 meters) | Coil | Pakistan/Fast | 30 | |
| 11 | 7/.29 cable (Standard Pack - 90 meters) | Coil | Pakistan/Fast | 50 | |
| 12 | 4mm sq | | · | | |
| 13 | · | Coil | Pakistan/Fast | 15 | |
| 14 | 6mmsq | Coil | Pakistan/Fast | 10 | |
| 15 | Cat - 6 (with connectors machined punched) (As per design requirements) | Coil | 3M / Pakistan Cable | 50 | |
| В | Fluorescent / LED Fittings/ LCD | | - | | |
| 16 | Recessed SMD down lighter (4 inch) (with 15W COB) | Nos | DMAX/China | 200 | |
| 17 | Cob track light /Linear Light with 48 watt | Nos | DMAX/China | 100 | |
| 18 | LED rope light 100 M | Mtr | DMAX/China | 3 | |
| 19 | Wall Hanging Lights | No. | DMAX/China | 90 | |
| | Up & Down outdoor Wall Light 10W | No. | DMAX/China | 20 | |
| 20 | Garden Light 10W | No. | DMAX/China | 12 | |
| 21 | Fondant Lights | | · · · · · · · · · · · · · · · · · · · | | |
| 22 | Floor mounted Lights water proof | No. | DMAX/China | 8 | |
| 23 | · | No. | Aplo/Ledvance/D MAX | 4 | |
| С | Gang Plate Fittings and Back Boxes | | | | |
| 24 | 13 Amp Switch Socket | Nos. | Clipsal | 650 | |
| 25 | 4 Gang 1 Way Switch | Nos. | Clipsal | 5 | |
| 26 27 | 6 Gang 1 Way Switch Data Plate | Nos. | Clipsal Clipsal | 12 300 | |
| 28 | 15 Amp Plug | Nos. | Clipsal | 20 | |
| D | Exhaust Fan/Fan/Insect Killer | | | | |
| 29 | Bracket Fans/False ceiling Fans | No. | Royal Fan | 10 | |
| 30 | Mist Fans | No. | Royal Fan | 4 | |
| 31 | Air Cutter | No. | Local/China | 1 | |
| 32 | Supply at site of Exhaust Fan 12" complete in all | Nos. | GFC/Pak Fan | 15 | |
| 33 | Insect Killer | No. | China | 2 | |
| 34 | water proof Exhaust fan | Nos. | GFC/Pak Fan | 3 | |
| E | Air Conditioning/HVAC | | | | |
| 35 | Supply of 1.5 Ton Air Conditioners (Invertor) of approved brand. | Nos | Gree or equal brand | 6 | |
| 36 | Supply of 2.0 Ton Air Conditioners (Invertor)of approved brand. | Nos | Gree or equal brand | 6 | |

| Item No. | Description | Unit | Brand or Equivalent | QТY |
|-------------|---|------|---------------------------|-----|
| 37 | Supply of 2.0 Ton Air Conditioners (Invertor) floor standing of approved brand. | Nos | Gree or equal brand | 6 |
| 38 | Supply of 4.0 Ton Air Conditioners (Invertor) floor standing of approved brand. | Nos | Gree or equal brand | 8 |
| F | UPS for Short Backup with batteries | | | |
| 39 | Supply of UPS 30 kVA online series | Nos | AEC or equivalent | 1 |
| G | Main Cable for Generator and other cable | | | |
| 40 | 16 mm 4 Core Copper | Mtr | Pakistan Cable/GM/Fast | 50 |
| 41 | 16 mm 1 Core Copper | Coil | Pakistan Cable | 1 |
| Н | CCTV Cameras/LED TV | | | |
| 43 | LED Smart TVs with Chrome Cast 65' (Standard and curve LCD) | No. | Samsung or equal brand | 4 |
| 44 | LED Smart TVs with Chrome Cast 55' | No. | Samsung or equal brand | 4 |
| 45 | LED Smart TVs with Chrome Cast 43' | No. | Samsung or equal brand | 4 |
| 46 | 32 (5MP) Analog Cameras with complete solution | No. | Dauah or equivalent | 32 |
| 1 | FIRE ALARM SYSTEM | | | |
| 47 | Supply conventional of 4 zone fire alarm control panel (FACP) | No. | China | 1 |
| 48 | Supply of conventional type smoke detector | No. | China | 80 |
| 49 | Supply of conventional type manual break glass station, including m.s. back box | No. | China | 4 |
| 50 | Supply of electronic sounder, including m.s. back box. | No. | China | 6 |
| 51 | Supply of wiring from FACP to devices wired with 2.5sq.mm two cores PVC/PVC fire retardant shielded cable in 25mm dia. PVC pipe | coil | fast cable/equivalent | 10 |
| 52 | Supply Fire extinguisher dry type use for fire A,B,C 5KG | Job | China | 16 |
| J | ELECTRICAL & IT WORK | | | |
| 53 | Wi-Fi Router Minimum Specifications: Standards Wi-Fi 6 IEEE 802.11ax/ac/n/a 5 GHz IEEE 802.11ax/n/b/g 2.4 GHz 5 GHz: 1100 Mbps (802.11ax) or higher 2.4 GHz: 500 Mbps (802.11ax) or higher 4× Fixed High-Performance Antennas | No. | TP-LINK or equivalent | 8 |
| 54 | Access Switch 24 Port POE+ Switch must have minimum: | No. | Black Coper or equivalent | 15 |
| 55 | Biometric Attendance Machine Minimum Specifications: Communication through: USB, TCP/IP, WIFI Screen size:4.3 Inch TFT or higher Recognition speed: ≤ 1 sec Finger Prints: 5000 or higher log capacity: 200K or higher | No. | ZK Teco or equivalent | 1 |

| Item No. | Description | Unit | Brand or Equivalent | QΤΥ |
|-------------|---|------|----------------------------|-------|
| 56 | Face Access Terminal Control Attendance Machine Minimum Specifications: Face Recognition Distance 0.3 m to 1.5 m. Camera 2 MP WDR Display 3.5 inch touch screen or higher Communication: RJ45, Wi-Fi Faces capacity 1000 or higher | No. | HiKvision or equivalent | 1 |
| 57 | Patch Panel Minimum Specifications: Rack mountable patch panel, loaded with CAT6 I/O's | No. | Black copper or equivalent | 15 |
| 58 | Data Cabinet Minimum Specifications: 12U data wall-mountable data cabinet, with door, lock and fan | No. | Black copper or equivalent | 8 |
| 59 | 1.0 KVA UPS Minimum Specifications: 1.0 KVA with dry batteries, Surge protection, Processor control, Line Interactive Technology, Backup: 10 minutes or higher, Recharge Time: 6-8 hours or lower, Features: Serial/USB Port, Plug and Play, with other standard features. 1 Year warranty including all parts. | No. | SOHO or equivalent | 8 |
| 60 | Ethernet Router Minimum Specifications: CPU Count 4, 8 or higher Gigabit Ethernet ports, USB 3.0, 1GB RAM, Serial Console Port | No. | Microtik or equivalent | 1 |
| K | Labor Rates/Installation/Fixing | | | |
| 61 | Electrical & IT Work Labor Rate, AC Installation, Cameras Installation, UPS Installation and fire alarm system installation etc. | Sft | | 30000 |
| 62 | Testing & Commissioning of DBs | Nos. | | 7 |
| 63 | Supply and installation of Electric Fence | RFT | Nentek or equivalent | 650 |
| 64 | Testing and commissioning of fire alarm system by authorized local representative of the manufacturer with coordination of project/building team. | Job | | 1 |
| 65 | Preparation of As-built drawings, labeling, numbering schemes, schematic, color coding, etc., 3 sets of soft & hard copies are to be submitted to consultant / owner. (to be covered in above prices) | Sft | | 30000 |

Note:

- Any brand names mentioned in the BOQ are for reference purposes only to understand the required specifications, and the bidders can quote the equivalent item that meets required specification.
- The measurement and quantities are based on the best estimate for comparison purposes, and the actual measurement and quantities may differ at the time of installation.
- The Purchaser is in no way bound to order the measurement and quantities as mentioned in the BOQ.
- Payment for the items whereby the units of measurement are square feet, running feet, length, and meters, shall be made as per actual.

BOQ CIVIL WORK:

| Sr.# | Description | Unit | Qty |
|------|---|------|-------|
| Α | FRONT ELEVATION | | |
| 1 | Removing of existing rock wall where required & applying new rock wall with matching color complete. (Overall building outside elevation and walls from base to top). | Sft | 5,000 |
| 2 | Providing & fixing terrace green wall elevation for logo purpose complete in all aspects as per given design. | Sft | 382 |
| 3 | Providing & fixing M.S structure parabola roof as per design complete in all aspects as per given design including glass cover on all sides | Sft | 324 |
| 4 | Providing & fixing terrace floor porcelain tile complete in all aspects as per given design. | Sft | 324 |
| В | External Works | | |
| 1 | Rights side elevation | | |
| | Removing of existing rock wall where required & applying new rock wall with matching colour complete. | Sft | 1,500 |
| 2 | Left side elevation | | |
| | Removing of existing rock wall where required & applying new rock wall with matching colour complete. | Sft | 1000 |
| 3 | Rear side elevation | | |
| | Removing of existing rock wall where required & applying new rock wall with matching colour complete. | Sft | 600 |
| 4 | adjoining with building side elevation | | |
| | Removing of existing rock wall where required & applying new rock wall with matching colour complete. | Sft | 500 |
| 5 | Rain water pipe leakage treatment with water proof chemical. | Nos | 10 |
| 6 | Main entrance steps construction as per design complete in all aspects. | Job | 1 |
| С | Front Boundary Wall | | |
| 1 | Boundary wall paint including gate | Sft | 1,500 |
| D | Flower Turf as per shown in design | | |
| 1 | Providing & fixing flower tuff including excavation, brick & stone work, plaster, chips, paint complete in all aspects. | Sft | 500 |
| 2 | Providing & fixing of plants (Outdoor) and indoor plants with planters. | Nos | 250 |
| E | Left side lawn | | |
| 1 | Providing & fixing of dhaka grass | Sft | 4,200 |
| 2 | Providing & fixing of concrete slabs steps 4'x1'x2". | Nos | 81 |
| 3 | Existing m.s stucture paint & wooden texture floor tiles. | Job | 1 |

| Sr.# | Description | | Qty |
|------|---|-----|--------|
| F | Internal Works (Ground Floor) | | |
| 1 | Providing and applying of paint Work Plastic Emulsion 2 x coats of filling and three coats of paint complete in all aspects. | Sft | 8,000 |
| 2 | Providing and applying of Enamel paint Work on stair railing complete in all aspects. | Sft | 303 |
| 3 | Anti-Termite proofing | Job | 1 |
| 4 | Dismantling & repair of kitchen partition wall and external counter slab with shifting of debris at suitable place. | Job | 1 |
| 5 | Making of kitchen service counter & close the door as per given design. | Job | 1 |
| 6 | Laquire polish transparent treatment coating on face brick walls for shining purpose. | Sft | 2,000 |
| 7 | Providing & applying Laquire polish on wooden doors complete in all aspects. | Sft | 824 |
| G | Internal Works (1st Floor) | | |
| 1 | Providing and applying of paint Work Plastic Emulsion 2 x coats of filling and three coats of paint complete in all aspects. | Sft | 10,000 |
| 2 | Providing and applying of Enamel paint Work on stair railing complete in all aspects. | Sft | 605 |
| 3 | West side terrace marble repair & polishing complete in all aspects. | Sft | 1,250 |
| 4 | Front side terrace marble repair & polishing complete in all aspects. | Sft | 400 |
| 5 | Laquire polish transparent treatment coating on face brick walls for shining purpose. | Sft | 2,000 |
| 6 | Providing & applying Laquire polish on wooden doors complete in all aspects. | Sft | 824 |
| 7 | Day care attached toilets fitting & fixtures. | Job | 1 |
| Н | 2nd floor (Roof Top) | | |
| 1 | Polishing & Repair of front terrace marble. | Sft | 800 |
| 2 | Mumty water proofing with chemical coating. | Sft | 650 |
| 3 | Providing and applying of paint Work Plastic Emulsion 2 x coats of filling and three coats of paint complete in all aspects.(walls + ceiling) | Sft | 2,150 |
| 4 | Roof removing of existing marble & shift the debris at suitable place complete in all aspects. | Sft | 800 |
| 5 | Providing and fixing of Marble with cement plaster, Grout, Including the cost of 1.5"-Average Base plaster . | Sft | 800 |
| 6 | Roof marble repair & polishing complete in all aspects. | Sft | 4,200 |

Note:

- Any brand names mentioned in the BOQ are for reference purposes only to understand the required specifications, and the bidders can quote the equivalent item that meets required specification.
- The measurement and quantities are based on the best estimate for comparison purposes, and the actual measurement and quantities may differ at the time of installation.
- The Purchaser is in no way bound to order the measurement and quantities as mentioned in the BOQ.
- Payment for the items whereby the units of measurement are square feet, running feet, length, and meters, shall be made as per actual.

IMPORTANT:

- Unit Prices and Total Price must be quoted item-wise for each line item of the BOQs.
- The award shall be on Turn-key Basis for all BOQs above, and the Contractor shall be responsible for Supply, Installation, Configuration, Testing and Commissioning of all items under the BOQs.
- Bidders must visit the site before Pre-Bid Meeting for clarifications, if any.
- The interior design and arrangements shall be approved by the project team of the Purchaser.
- Before supply and installation, the successful Contractor shall provide samples of the items for approval by the Purchaser.
- 01 Year Warranty will be provided by the Contractor for complete turnkey solution including the goods supplied under the Contract such as Electric/IT Equipment, Furniture, UPS, ACs, LCDs, Projector, Switches, Fire Alarm, Fans, Lights etc.

3.2 Scope of Services

The e-Earn innovation hub is a centralized facility in the heart of Rawalpindi at Murree Road near Rawalpindi Medical University (33°36'04.3"N 73°04'01.6"E). The facility is built with a purpose to facilitate the I.T industry in the district. The building covered area is approximately 18,000 sq. feet (ground floor and 1st floor) out of total area of 4 kanal.


PITB is interested to use the facility as a co-working space for freelancers, startups, SME's, Financial Institutions, IT Companies, Software Houses, Incubation Centers etc. For this purpose, the tender is floated in order to renovate, furnish and make the facility ready to use for 400 people on ground and first floor. Besides a sitting facility for cafeteria (45 people), administration team (10 people) and outdoor area (20 people).


As per attached layout design of the building, the bidder is responsible for design, supplies, renovations, electrical work, furnishing, IT infrastructure installation, cafeteria and outdoor sitting arrangement along with all necessary furniture, equipment and supplies including table, chairs, work stations, sofas, outdoor sittings, security cameras, paint work, repair work (any type), electrical and IT infrastructure work and electrical fencing. The scope of work also includes beautification of the building indoor and outdoor (landscape area). The tender is floated on Turnkey basis in order to prepare the said facility to carryout business plan as described.

The procuring agency is suggesting a plan for complete readiness of the desired site. The successful bidder should initiate the civil work (repair maintenance, paint and electrical & IT work) simultaneously and complete it in 02 weeks after initiating the job. Parallel to the work the bidder should initiate the procurement and manufacturing of IT infrastructure, furniture items and should complete the installation within 08 weeks of job initiation.

3.3 Floor Diagram

GROUND FLOOR





Page **58** of **92**

Section-IV: Bid Data Sheet 4.1. Bid Data Sheet (BDS)

The following specific data for the services to be procured shall complement, supplement, or amend the provisions in the Instructions to Bidders (ITB) Section-II. Whenever there is a conflict, the provisions herein shall prevail over those in ITB.

| | A. | Introduction |
|--------|------------|--|
| BDS | ITB Number | Amendments of, and Supplements to, Clauses in the |
| Clause | | Instruction to Bidders |
| Number | 244 | Name of Discouring Agency DUNIAR INFORMATION |
| 1. | 2.1.1 | Name of Procuring Agency: PUNJAB INFORMATION |
| | | TECHNOLOGY BOARD |
| | | The subject of procurement is: PROCUREMENT OF |
| | | RENOVATION SERVICES INCLUDING SUPPLY AND |
| | | INSTALLATION OF EQUIPMENT ON TURNKEY BASIS AT e- |
| | | EARN INNOVATION-HUB BUILDING, CHAMAN ZAR ROAD |
| | | RAWALPINDI (EGOV – 03) |
| | | |
| | | Commencement date for Start of Services: Within one (01) |
| | | Week after issuance of Notification of Award |
| | | |
| | | Completion date for Scope of Services on Turn-key Basis: |
| | | Within Eight (08) Weeks after issuance of Notification of |
| | | Award |
| 2. | 2.1.2 | Financial year for the operations of the Procuring Agency: 2023 - |
| | | 24 |
| | | |
| | | Name of Project/ Grant (Development or Non-Development): |
| | | Non-Development PITB |
| | | Name of financing institution. Non-Development |
| | | Name of financing institution: Non-Development Name and identification number of the Contract: N/A |
| | | Name and identification number of the Contract. N/A |
| 3. | 2.1.3 (v) | Maximum number of members in the joint venture, consortium |
| | | or association shall be: [insert the number]. J.V. form 8.2 should |
| | | be followed. (NOT APPLICABLE) |
| | В. | Bidding Documents |
| 4. | 2.2.2 | The address for clarification of Bidding Documents is: |
| | | PRIMARY CONTACT |
| L | I | |

| | | Umair Ali |
|-----|------------------|---|
| | | |
| | | Sr. Program Manager (CCC) |
| | | Email: umair.ali@pitb.gov.pk |
| | | 13th Floor, Arfa Software Technology Park, 346-B, Ferozepur |
| | | Road, Lahore, Pakistan. |
| | | |
| | | Hafiz Syed Muhammad Suleman |
| | | Programme Manager Design & Strategist (CCC) |
| | | Email: syed.suleman@pitb.gov.pk |
| | | 13th Floor, Arfa Software Technology Park, 346-B, Ferozepur |
| | | Road, Lahore, Pakistan. |
| | | |
| | | SECONDARY CONTACT |
| | | M. Jahanzaib Khan Joint Director (E-Procurement) |
| | | Email: jahanzaib.khan@pitb.gov.pk |
| | | 13 th Floor, Arfa Software Technology Park, 346-B, Ferozepur |
| | | Road, Lahore, Pakistan |
| 5. | 2.2.2 | Pre-Bid Meeting: |
| | 2.2.2 | DATE & TIME: 02 NOVEMBER, 2023 @ 11:00 AM |
| | | VENUE: 13TH FLOOR, ARFA SOFTWARE TECHNOLOGY PARK |
| | | (ASTP), 346-B, FEROZEPUR ROAD, LAHORE. |
| 6. | 2.3.8 | The number of bidding documents to be completed and |
| 0. | 2.3.8 | returned is in one original and one copy. |
| | | ., |
| _ | C. | Bid Price, Currency, Language and Country of Origin |
| 7. | 2.3.1 | Language of the Bid: English |
| 8. | 2.3.4 | The price quoted shall be in PAK RUPEES inclusive of all |
| | 2242 | applicable taxes and duties. |
| 9. | 2.3.4 & 2.3.9 | The price quoted shall be fixed in PAK RUPEES inclusive of all |
| | 2.3.9 | applicable taxes and duties. The Bidders must adhere to the minimum wage rate (notified) |
| | | by Labour & Human Resource Department) and all applicable |
| | | taxes (imposed by FBR/PRA/any other government |
| | | organization) while preparing financial bid. |
| | D. | Preparation and Submission of Bids |
| 10. | 2.1.1 | Bid shall be submitted to: |
| | | |
| | | PUNJAB INFORMATION TECHNOLOGY BOARD (PITB) |
| | | 13TH FLOOR, ARFA SOFTWARE TECHNOLOGY PARK (ASTP), |
| | | 346-B, FEROZEPUR ROAD, LAHORE, PAKISTAN |
| | | PHONE: (+ 92) (42) (99000000), FAX: (+92) (42) (99232123) |
| | | URL: <u>WWW.PITB.GOV.PK</u> |
| | | |

| 11. | 2.4.2 | The deadline for Bid submission is: |
|-----|-------|---|
| | | 24 November, 2023 @ 12:00 PM |
| 12. | 2.5.1 | Time, date/ Month/ Year, and place for Bid opening. |
| | | 24 November, 2023 @ 12:30 PM |
| 13. | 2.6.2 | Amount of Performance Guarantee is: 5% OF THE CONTRACT |
| | | <u>AMOUNT</u> |
| 14. | 2.3.7 | Bid validity period after opening of the Bid is: NINETY (90) DAYS. |
| | E. | Opening and Evaluation of Bids |
| 15. | 2.5.1 | The Bid opening shall take place at: |
| | | 24 November, 2023 @ 12:30 PM |
| | | PUNJAB INFORMATION TECHNOLOGY BOARD (PITB) |
| | | 13TH FLOOR, ARFA SOFTWARE TECHNOLOGY PARK (ASTP), |
| | | 346-B, FEROZEPUR ROAD, LAHORE, PAKISTAN |
| | | PHONE: (+ 92) (42) (99000000), FAX: (+92) (42) (99232123) |
| | | URL: <u>WWW.PITB.GOV.PK</u> |
| | | |
| 16. | 2.3.4 | The currency that shall be used for Bid evaluation is: PAK |
| | | RUPEES |
| | F. | Bid Evaluation Criteria |
| 17. | 2.5.8 | Criteria to Bid evaluation is presented below: |
| | 1 | ı |

EVALUATION CRITERIA:

| Copy of Active Registration with Income Tax Authorities (National Tax Number NTN) – Registered for at least last Three (03) Years Copy of Active Registration with Sales Tax Authorities (STRN) Affidavit (as per form 8.6) on non-judicial Stamp Paper of Rs. 100/- or Official Letter-head: (i) The firm is not blacklisted from any Department. (ii) The documents/photocopies provided with Bid are authentic. In case of any fake/bogus document found at any stage. They shall be black listed as per Rules / Laws. (Mandatory) (iii) Affidavit for correctness of information. (iv) Contractor/firm is not blacklisted or subject to any pending litigation in this regard, with any Government or Public | Category | Description | Requirement |
|---|----------|--|-------------|
| Department. (v) The firm comply with Section – III "Technical Specifications", | Legal | Copy of Active Registration with Income Tax Authorities (National Tax Number NTN) – Registered for at least last Three (03) Years Copy of Active Registration with Sales Tax Authorities (STRN) Affidavit (as per form 8.6) on non-judicial Stamp Paper of Rs. 100/- or Official Letter-head: (i) The firm is not blacklisted from any Department. (ii) The documents/photocopies provided with Bid are authentic. In case of any fake/bogus document found at any stage. They shall be black listed as per Rules / Laws. (iii) Affidavit for correctness of information. (iv) Contractor/firm is not blacklisted or subject to any pending litigation in this regard, with any Government or Public Department. | |

| Category | Description | Requirement |
|-----------------------------------|---|-------------|
| | mentioned vide Section – III "Technical Specifications/Scope of Services", and Section – VII "Schedule of Requirements" of the Bidding Document | |
| Technical | Copy of bid security form along with copy of financial instrument, in the manner as prescribed on the bid security form. | |
| (Mandatory) | Product technical Brochure that should include specific make and model with clarity of offered specifications are enclosed with the bid (where applicable). | Required |
| Past Experience (Mandatory) | Relevant Experience & Value of Projects (Last 03 Years) Value of projects/assignments either completed or in-process for last 03 years, which are similar in nature of renovation & civil works including supply and installation of electrical & IT infrastructure, furniture, interior, exterior, partitioning etc. (Verifiable through relevant purchase orders / contracts) Amount in PKR 30 million and above | Required |

G. Award of Contract

| 24. | 2.6.5 | Percentage for quantity increase or decrease is: <u>FIFTEEN</u> (15%) PERCENT. However, increase or decrease in quantities beyond 15% will be mutually agreed between the Procuring Agency and the Awardee prior to the Contract. |
|-----|-------|---|
| 25. | 2.6.2 | The Performance Guarantee shall be: 5% OF THE CONTRACT AMOUNT |
| 26. | 2.6.2 | The Performance Security (or guarantee) shall be in the form of: Bank Guarantee, Bank call-deposit (CDR), Demand Draft (DD), Pay Order (PO) or Banker's cheque; |
| | | Performance Guarantee must have a minimum validity period until the date of expiry of warranty period, support period or termination of services, or fulfillment of all obligations under the contract, whichever is later. Performance security shall not be acceptable with any validity less than the prescribed time period. |
| | | The Contractor shall cause the validity period of the performance security to be extended for such period(s) as the contract performance may be extended. |
| | | Penalty Charges on Late Submission of Performance Security: If the Contractor delays provision of Performance Security fifteen (15) days of the issuance of notification of award / Letter of Intent (LOI) from the Procuring Agency, a sum of money @0.25% of the total Performance Security, for every day beyond fifteen (15) days of the issuance of notification of award / Letter of Intent (LOI) from the Procuring Agency, will be deducted as Penalty Charges. Provided that total amount of Penalty Charges so deducted shall not exceed, an amount equal to the value of Bid Security. |

Section-V: General Conditions of Contract

1. Definitions

- 1.1 In this Contract, the following terms shall be interpreted as indicated:
 - (a) "The Contract" means the agreement entered into between the Procuring Agency and the Service Provider, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
 - (b) "The Contract Price" means the price payable to the Service Provider under the Contract for the full and proper performance of its contractual obligations.
 - (c) "The Goods" means all of the equipment, machinery, and/or other materials which the Service Provider is required to supply to the Procuring Agency under the Contract.
 - (d) "The Services" means those services RENOVATION SERVICES INCLUDING SUPPLY AND INSTALLATION OF EQUIPMENT ON TURNKEY BASIS and other such obligations of the Service Provider covered under the Contract.
 - (e) "GCC" means the General Conditions of Contract contained in this section.
 - (f) "SCC" means the Special Conditions of Contract.
 - (g) "The Procuring Agency" means the organization purchasing the Services, as named in SCC.
 - (h) "The Procuring Agency's country" is the country named in SCC.
 - (i) "The Service Provider" means the Bidder or firm supplying the Services under this Contract.
 - (j) "The Project Site," where applicable, means the place or places named in SCC.
 - (k) "Day" means calendar day.

2. Application

2.1. These General Conditions shall apply to the extent that they are not superseded by provisions of other parts of the Contract.

3. Country of Origin

[where applicable]

- 3.1. All Services supplied under the Contract shall have their origin in the countries and territories eligible under the rules, as further elaborated in the SCC.
- 3.2. The origin of Services is distinct from the nationality of the Service Provider. In any case, the requirements of rules 10 & 26, PPR-14, shall be followed.

4. Standards

- 4.1. The services supplied under this Contract shall conform to the standards mentioned in the Technical Specifications/work plan/deputation plan.
- 5. Use of Contract Documents and Information; Inspection and Audit by the procuring agency.
- 5.1. The Service Provider shall not, without the Procuring Agency's prior written consent, disclose the Contract, or any provision thereof, or information furnished by or on behalf of the Procuring Agency in connection therewith, to any person other than a person employed by the Service Provider in the performance of the Contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance.
- 5.2. The Service Provider shall not, without the Procuring Agency's prior written consent, make use of any document or information enumerated in GCC Clause 5.1 except for purposes of executing the Contract.
- 5.3. Any document, other than the Contract itself, enumerated in GCC Clause 5.1 shall remain the property of the Procuring Agency and shall be returned (all copies) to the Procuring Agency on completion of the Service Provider's performance under the Contract if so required by the Procuring Agency.
- 5.4. The Service Provider shall permit the Procuring Agency to inspect the Service Provider's accounts and records relating to the performance of the Service Provider and to have them audited by auditors appointed by the donors, if so required by the donors.

6. Performance Guarantee

6.1. Within fifteen (15) days of issuance of the notification of Contract award/Letter of Intent (LOI), the successful Bidder shall furnish to the Procuring Agency the Performance Guarantee in the amount specified in SCC/Bid Data Sheet & clause 2.6.2 of ITB. Performance Guarantee must have a minimum validity period until the date of expiry of warranty period, support period or termination of services, or fulfillment of all obligations under the contract, whichever is later. Performance security shall not be acceptable with any validity less than the prescribed time period.

Penalty Charges on Late Submission of Performance Security:

If the Contractor delays provision of Performance Security fifteen (15) days of the issuance of notification of award / Letter of Intent (LOI) from the Procuring Agency, a sum of money @0.25% of the total Performance Security, for every day beyond fifteen (15) days of the issuance of notification of award / Letter of Intent (LOI) from the Procuring Agency, will be deducted as Penalty Charges. Provided that total amount of Penalty Charges so deducted shall not exceed, an amount equal to the value of Bid Security.

- 6.2. The proceeds of the Performance Guarantee shall be payable to the Procuring Agency as compensation for any loss resulting from the Service Provider's failure to complete its obligations under the Contract.
- 6.3. As per Rule-56 of PPR-14, the performance guarantee shall be denominated in the currency of the Contract acceptable to the Procuring Agency and shall be in one of the following forms:
 - (a) a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the Procuring Agency's country, in the form provided in the Bidding documents or another form acceptable to the Procuring Agency; or
 - (b) Bank call-deposit (CDR), Demand Draft (DD), Pay Order (PO) or Banker's cheque.
- 6.4. The performance guarantee will be discharged by the Procuring Agency and returned to the Service Provider not later than thirty (30) days following the date of completion of the Service Provider's performance obligations under the Contract, including any warranty obligations, unless specified otherwise in SCC. The Contractor shall cause the validity period of the performance security to be extended for such period(s) as the contract performance may be extended.

7. Incidental material

7.1. The Service Provider may be required to provide any of the incidental material if any, specified in SCC:

[If required and decided by the Procuring Agency]

8. Payment

8.1. The method and conditions of payment to be made to the Service Provider under this Contract shall be specified in SCC.

- 8.2. The Service Provider's request(s) for payment shall be made to the Procuring Agency in writing, accompanied by an invoice describing, as appropriate, Services performed, and by documents submitted and upon fulfillment of other obligations stipulated in the Contract.
- 8.3. As per rule-62 of PPR-14, payments shall be made promptly by the Procuring Agency, but in no case later than thirty (30) days after submission of an invoice or claim by the Service Provider, provided the work is satisfactory.
- 8.4. The currency of payment is PAK RUPEES.

9. Prices

9.1. Prices charged by the Service Provider and Services performed under the Contract shall not vary from the prices quoted by the Service Provider in its Bid, with the exception of any price adjustments authorized in SCC {mechanism and formula to be decided by the procuring agency}.

10. ChangeOrders

- 10.1. The Procuring Agency may at any time, by a written order given to the Service Provider pursuant to GCC Clause 11, make changes within the general scope of the Contract, only if required for the successful completion of the job.
- 10.2. If any such change causes an increase or decrease in the cost of, or the time required for, the Service Provider's performance of any provisions under the Contract, an equitable adjustment shall be made in the Contract Price, or both, and the Contract shall accordingly be amended. Any claims by the Service Provider for adjustment under this clause must be asserted within thirty (30) days from the date of the Service Provider's receipt of the Procuring Agency's change order. But, in no case, the overall impact of the change should exceed **15% of the contract cost** and no provisions of PPR-14 should be violated.

11. Contract Amendments

11.1. Subject to GCC Clause 10, no variation in or modification of the terms of the Contract shall be made except by written amendment signed by the parties.

12. Assignment

12.1. The Service Provider shall not assign the whole of contract to anybody else. However, some parts of contract or its obligations may be assigned to sub-contractors with the prior written approval of the procuring agency.

13. Sub-contracts

13.1. The Service Provider shall notify the Procuring Agency in the Bid of all subcontracts to be assigned under this Contract. Such notification, in the original Bid or later, shall not relieve the Service Provider from any liability or obligation under the Contract.

13.2. Subcontracts must comply with the provisions of GCC Clause 12.

14. Delays in the Service Provider's Performance

14.1. Performance of Services shall be made by the Service Provider in accordance with the Schedule of Requirements/Work Plan/ Deputation Plan as prescribed by the Procuring Agency in Section VII.

14.2. If at any time during performance of the Contract, the Service Provider or its subcontractor(s) should encounter conditions impeding timely performance of Services, the Service Provider shall promptly notify the Procuring Agency in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the Service Provider's notice, the Procuring Agency shall evaluate the situation and may at its discretion extend the Service Provider's-time for performance, with or without liquidated damages, in which case the extension shall be ratified by the parties by amendment of Contract.

14.3. Except as provided under GCC Clause 17, a delay by the Service Provider in the performance of its delivery obligations shall render the Service Provider liable to the imposition of liquidated damages.

15. Liquidated Damages

15.1. Subject to GCC Clause 17, if the Service Provider fails to provide the Services as per requirement/ within the period(s) specified in the Contract, the Procuring Agency shall, without prejudice to its other remedies under the Contract, deduct from the Contract Price, as liquidated damages, a sum equivalent to the percentage specified in SCC of the delivered price of the delayed Goods or unperformed Services for each week or part thereof of delay until actual delivery or performance, up to a maximum deduction of the percentage specified in SCC. Once the maximum is reached, the Procuring Agency may consider termination of the Contract pursuant to GCC Clause 16 along with other remedies available under PPR-14.

16. Termination for Default

16.1. The Procuring Agency, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the Service Provider, may terminate this Contract in whole or in part:

- (a) if the Service Provider fails to deliver any or all of the service within the period(s) specified in the Contract, or within any extension thereof granted by the Procuring Agency pursuant to GCC Clause 14;
- (b) if the Service Provider fails to perform any other obligation(s) under the Contract; or
- (c) if the Service Provider, in the judgment of the Procuring Agency has engaged in corrupt practices in competing for

or in executing the Contract. For the purpose of this clause, corrupt practices will be defined as per Section-2 (d) of The PPRA Act, 2009.

"Corrupt practices" in respect of procurement process, shall be as given in S-2 (d) of PPRA, Act, 2009:

- (d) "corrupt practice" means the offering, giving, receiving, or soliciting of anything of value to influence the action of a public official, bidder or Contractor in the procurement process or in Contract execution to the detriment of the procuring agency; or misrepresentation of facts in order to influence a procurement process or the execution of a Contract, collusive practices among bidders (prior to or after bid submission) designed to establish bid prices at artificial, noncompetitive levels and to deprive the procuring agency of the benefits of free and open competition and any request for, or solicitation of anything of value by any public official in the course of the exercise of his duty; it may include any of the following:
- coercive practice by impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence the actions of a party to achieve a wrongful gain or to cause a wrongful loss to another party;
- ii. collusive practice by arrangement between two or more parties to the procurement process or Contract execution, designed to achieve with or without the knowledge of the procuring agency to establish prices at artificial, noncompetitive levels for any wrongful gain;
- offering, giving, receiving or soliciting, directly or indirectly, of anything of value to influence the acts of another party for wrongful gain;
- iv. any act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation;
- v. obstructive practice by harming or threatening to harm, directly or indirectly, persons or their property to influence their participation in a procurement process, or affect the execution of a Contract or deliberately destroying, falsifying, altering or concealing of evidence material to the investigation or making false statements before investigators in order to materially impede an investigation into allegations of a corrupt, fraudulent, coercive or collusive practice; or threatening, harassing or

intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation, or acts intended to materially impede the exercise of inspection and audit process

16.2. In the event the Procuring Agency terminates the Contract in whole or in part, pursuant to GCC Clause 16.1, the Procuring Agency may procure, upon such terms and in such manner as it deems appropriate, Services similar to those undelivered, and the Service Provider shall be liable to the Procuring Agency for any excess costs for such similar Services. However, the Service Provider shall continue performance of the Contract to the extent not terminated.

17. Force Majeure

17.1. Notwithstanding the provisions of GCC Clauses 14, 15, and 16, the Service Provider shall not be liable for forfeiture of its Performance Guarantee, liquidated damages, or termination for default if and to the extent that its delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.

17.2. For purposes of this clause, "Force Majeure" means an event beyond the control of the Service Provider and not involving the Service Provider's fault or negligence and not foreseeable. Such events may include, but are not restricted to, acts of the Procuring Agency in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes. Both, the Procuring Agency and the Service Provider, may agree to exclude certain widespread conditions e.g: epidemics, pandemics, quarantine restrictions etc from the purview of "Force Majeure".

25.3. If a Force Majeure situation arises, the Service Provider shall promptly notify the Procuring Agency in writing of such condition and the cause thereof. Unless otherwise directed by the Procuring Agency in writing, the Service Provider shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event. Any difference of opinion concerning "Force Majeure" may be decided through means given herein below.

18. Termination for Insolvency

18.1. The Procuring Agency may at any time terminate the Contract by giving written notice to the Service Provider if the Service Provider becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the Service Provider, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the Procuring Agency.

19. **Termination** for Convenience

- 19.1. The Procuring Agency, by written notice sent to the Service Provider, may terminate the Contract, in whole or in part, at any time for its convenience. The notice of termination shall specify that termination is for the Procuring Agency's convenience, the extent to which performance of the Service Provider under the Contract is terminated, and the date upon which such termination becomes effective.
- 19.2. The Services that are complete and ready for shipment (if applicable) within thirty (30) days after the Service Provider's receipt of notice of termination shall be accepted by the Procuring Agency on the Contract terms and prices. For the remaining Services, the Procuring Agency may choose:
 - to have any portion completed and delivered at the Contract terms and prices; and/or
 - to cancel the remainder and pay to the Service Provider-an (b) agreed amount for partially completed Services and for materials and parts previously procured by the Service Provider.

20. **Disputes**

- Resolution of 20.1. After signing the contract or issuance of purchase order, The Procuring Agency and the Service Provider shall make every effort to resolve amicably by direct informal negotiation any disagreement or dispute arising between them under or in connection with the Contract.
 - 20.2. If, after thirty (30) days from the commencement of such informal negotiations, the Procuring Agency and the Service Provider have been unable to resolve amicably a Contract dispute, either party may require that the dispute be referred for resolution to the formal mechanisms specified in SCC. These mechanisms may include, but are not restricted to, conciliation mediated by a third party, adjudication in an agreed and/or arbitration as per rule 68 of PPR-14 and in accordance with Arbitration Act-1940.

21. Governing Language

21.1. The Contract shall be written in the language specified in SCC. Subject to GCC Clause 30, the version of the Contract written in the specified language shall govern its interpretation. All correspondence and other documents pertaining to the Contract which are exchanged by the parties shall be written in the same language.

22. **Applicable** Law

- 22.1. The Contract shall be interpreted in accordance with the laws of Punjab (Pakistan) unless otherwise specified in SCC.
- 23. **Notices**
- 23.1. Any notice given by one party to the other pursuant to this Contract shall be sent to the other party in writing or by any

information technology mean for the time being in use and acceptable in ordinary course of business to the other party's address specified in SCC.

23.2. A notice shall be effective when delivered or on the notice's effective date, whichever is later.

24. Taxes and Duties

24.1. Service Provider shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted Services to the Procuring Agency.

24.2 The Service Provider shall maintain ACTIVE taxpayer status with Punjab Revenue Authority (PRA) throughout the contract period.

25. Change in minimum wage rate

25.1. If during the continuation of the service contract, minimum wage rate is revised by the competent authorized forum, then the ongoing contract shall be revised as per percentage increased in minimum wages declared for such category, by the competent authority, but with mutual consent of the procuring agency and the Contractor

26. Contract Period and Extension in Contract period

A fixed price contract will be signed for the period of **one (01) year**. Extension in the contact agreement shall be the discretion of the procuring agency and the contractor has no right to claim further extension as a matter of right in the contract.

Section-VI. Special Conditions of Contract

Special Conditions of Contract

The following Special Conditions of Contract shall supplement the General Conditions of Contract. Whenever there is a conflict, the provisions herein shall prevail over those in the General Conditions of Contract. The corresponding clause number of the GCC is indicated in parentheses.

1. Definitions (GCC Clause 1)

GCC 1.1 (g)—The Procuring Agency is: PUNJAB INFORMATION TECHNOLOGY BOARD

GCC 1.1 (h)—The Procuring Agency's country is: **PAKISTAN**

GCC 1.1 (i)—The Supplier is: **AWARDEE**

2. Performance Guarantee (GCC Clause 6)

GCC 7.1—As per rule 56 of PPR-14, the amount of Performance Guarantee, as a percentage of the Contract Price, shall be: **5% OF THE CONTRACT AMOUNT**

Performance Guarantee must have a minimum validity period until the date of expiry of warranty period, support period or termination of services, or fulfillment of all obligations under the contract, whichever is later. Performance security shall not be acceptable with any validity less than the prescribed time period.

The Contractor shall cause the validity period of the performance security to be extended for such period(s) as the contract performance may be extended.

Penalty Charges on Late Submission of Performance Security:

If the Contractor delays provision of Performance Security fifteen (15) days of the issuance of notification of award / Letter of Intent (LOI) from the Procuring Agency, a sum of money @0.25% of the total Performance Security, for every day beyond fifteen (15) days of the issuance of notification of award / Letter of Intent (LOI) from the Procuring Agency, will be deducted as Penalty Charges. Provided that total amount of Penalty Charges so deducted shall not exceed, an amount equal to the value of Bid Security.

3. Incidental Materials (GCC Clause 7)

GCC 7.1—Incidental materials to be provided are:

[Selected material covered under GCC Clause 7 and/or other should be specified with the desired features. The price quoted in the Bid price or agreed with the selected Service Provider shall be included in the Contract Price.]

4. Payment (GCC Clause 8)

GCC 8.1—The method and conditions of payment to be made to the Service Provider under this Contract shall be as follows:

Payment for Services provided: [to be decided by the Procuring Agency as per rule-62 of PPR-14]

- Payment for the items whereby the units of measurement are square feet, running feet, length, and meters, shall be made as per actual after the installation/completion of each BOQ in SECTION - III.
- Subject to the approval of the Purchaser, partial payment under the contract will be allowed only for completion of a whole BOQ, as given in SECTION - III. Partial payment for partial completion/delivery of items under any specific BOQ is not allowed.

Payment may be made in Pak. Rupees in the following manner: (to be decided by the Procuring Agency)

- (i) Running Bill modality,
- (ii) Cross Cheque

5. Prices (GCC Clause 9)

GCC 9.1—Prices shall be fixed and shall not be adjusted.

6. Liquidated Damages (GCC Clause 15)

GCC 15.1—Applicable rate: one-half (0.5) percent per week

Maximum deduction: ten (10) percent of the Contract Price

7. Resolution of Disputes (GCC Clause 20)

GCC 20.2—The dispute resolution mechanism to be applied pursuant to GCC Clause 20.2 shall be as follows:

As per rule-68 of PPR-14, in the case of a dispute between the Procuring Agency and the Service Provider, the dispute shall be referred for arbitration in accordance with the Arbitration Act 1940.

8. Governing Language (GCC Clause 21)

GCC 21.1—The Governing Language shall be: ENGLISH

9. Applicable Law (GCC Clause 22)

GCC 22.1-The Contract shall be interpreted in accordance with the laws applicable in the jurisdiction of the province of Punjab (Pakistan):

10. Insurance Coverage

The PITB will not be liable for any damage/loss to assets, resources and manpower deployed by the Contractor. The Contractor shall procure all insurance policies to include requisite insurance coverage as applicable including but not limited to Comprehensive general liability insurance and / or third-party accident insurance to safeguard any eventuality while the employees of the Contractors are on duty.

11. Indemnity

The Contractor agrees fully and effectually to indemnify, defend and hold harmless the PITB and its officers, directors, employees, representatives, agents, and assigns ("Indemnified") at its own expenses against the Losses suffered or incurred by the PITB as a direct result of any negligent or fraudulent act or omission by it and its employees, in breach of any of its obligations contained or referred to in the Contract. In addition, the Contractor hereby also agree to indemnify and hold harmless the PITB against the Losses claimed, made or incurred against the PITB arising out of or in connection with the performance or discharge of Contractor's obligations and duties under the Contract or in respect of any Losses sustained or suffered by any third party, otherwise than by the PITB's gross negligence or willful misconduct. The Contractor understands, acknowledge and agree that this provision is the essence of the contract and consequently, Contractor's desire to provide the PITB (being indemnified) with specific contractual assurance of each Indemnifier's rights to full indemnification against any proceedings.

12. Notices (GCC Clause 23)

GCC 23.1—Procuring Agency's address for notice purposes: **PROCURING AGENCY ADDRESS**

—Supplier's address for notice purposes: AWARDEE's ADDRESS

Section-VII. Schedule of Requirements/Work Plan/ Deputation Plan

The bidder shall provide detailed implementation plan in compliance with the delivery schedule below:

| Description | Quantity | Delivery Schedule (Weeks) |
|---|----------|-------------------------------|
| RENOVATION SERVICES INCLUDING SUPPLY AND | Turnkey | Within Eight (08) Weeks after |
| INSTALLATION OF EQUIPMENT ON TURNKEY BASIS AT e-EARN INNOVATION-HUB BUILDING, | Services | issuance of Notification of |
| RAWALPINDI | (01) | Award |

Section-VIII: Sample Forms

8.1 Bid Form

(For each Lot separately)

- To be reproduced on the letter head, signed & stamped by the Bidder.
- To be attached with the Technical Bid, in case of Single Stage Two Envelope Procedure.

To: [name and address of Procuring Agency]

Gentlemen and/or Ladies:

Having examined the Bidding documents including Addenda Nos. [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to supply and deliver [description of goods and services] in conformity with the said Bidding documents.

We undertake, if our Bid is accepted, to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements.

If our Bid is accepted, we will obtain the guarantee of a bank in a sum equivalent to **05%** percent of the Contract Price for the due performance of the Contract, in the form prescribed by the Procuring Agency.

We agree to a Bid by this Bid for a period of [number] days from the date fixed to Bid opening under Clause 2.3.9 of the Instructions to Bidders, and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

Until a formal Contract is prepared and executed (*if required*), this Bid, together with your written acceptance thereof and your notification of award, shall constitute a binding Contract between us.

[In case of single stage one envelope bidding procedure]

The Composition of our Bid is:

- a) Original Bid form (as per **form 8.1 of** Bidding documents) on letter head of the firm, duly signed and stamped.
- b) All the forms relevant to the technical and financial bids (clearly indicated on each form)
- c) Original Bid security form (as per **form 8.10**) along with Original financial instrument [to be decided by the procuring agency i.e. Bank Guarantee / Bank call-

- deposit (CDR) / Demand Draft (DD) / Pay Order (PO) or Banker's cheque] valid for () Days, beyond the validity of Bid.
- d) All the required documents establishing eligibility of bidders/goods shall be made part of the bid.
- e) Any other document required by the procuring agency not inconsistent with PPR-14.

[In case of single stage two envelope bidding procedure],

The Composition of our bid consists on separate Technical and financial bids, detail of which is as follows:

Technical bid includes the following:-

- a) Original Bid form (as per **form 8.1 of** Bidding documents) on letter head of the firm, duly signed and stamped.
- b) All the forms relevant to the technical bid, to be reproduced on the letter head of the bidder as indicated on each individual form.
- c) Copy of bid security form along with copy of financial instruments [to be decided by the procuring agency i.e. Bank Guarantee / Bank call-deposit (CDR) / Demand Draft (DD) / Pay Order (PO) or Banker's cheque] valid for () Days, beyond the validity of Bid in the manner as prescribed on the bid security form 8.10.
- d) Any other document required by the procuring agency not inconsistent with PPR-14.

Financial bid includes the following: -

- a) Price schedule / financial form (as per **form 8.9**) to be reproduced on the letter head of the bidder duly signed and stamped.
- b) Original Bid security form (as per **form 8.10**) along with Original financial instrument [to be decided by the procuring agency i.e. Bank Guarantee / Bank call-deposit (CDR) / Demand Draft (DD) / Pay Order (PO) or Banker's cheque] valid for () Days, beyond the validity of Bid.
- c) Any other document required by the procuring agency not inconsistent with PPR-14.

| and to contract execution if we | e are awarded the conti | ract, are listed below: |
|--|-------------------------|--|
| Name and address of service provider | Amount and Currenc | У |
| | | |
| (if none, state "none") | | |
| We understand that you are no | ot bound to accept the | lowest or any Bid you may receive. |
| Dated this | day of | 20 |
| [signature] | [in the capa | acity of] |
| Duly authorized to sign Bid for | and on behalf of | |
| Commissions or gratuitie and to contract execution if we | | paid by us to agents relating to this Bid, ract, are listed below: |
| Name and address of agent | Amount and Currenc | y Purpose of Commission o gratuity |
| | | |
| (if none, state "none") | | |
| We understand that you are no | ot bound to accept the | lowest or any Bid you may receive. |
| Dated this | day of | 20 |
| [signature] | | acity of] |

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid,

| ouly authorized to sign Bid for and on behalf of | |
|--|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |

8.2Bidder's JV Members Information Form (if applicable) (For each Lot separately)

- To be reproduced and signed & stamped by the lead partner and all JV members on their letter Pad,
- To be attached with Technical Bid in addition to the JV agreement

{The Service Provider shall fill in this Form in accordance with the instructions indicated below. The following table shall be filled in for the Service Provider and for each member of a Joint Venture}.

Date: [insert date (as day, month and year) of Bid submission]

RFB No.: [insert number of RFB process]

Alternative No.: [insert identification No if this is a Bid for an alternative]

| Pag | ge . | of pages | | |
|-----|---|--|--|--|
| 1 | L. | Bidder's Name: [insert Bidder's legal name] | | |
| 2 | 2. | Bidder's JV Member's name: [insert JV's Member legal name] | | |
| 3 | 3. | Bidder's JV Member's country of registration: [insert JV's Member country of registration] | | |
| 4 | 1. | Bidder's JV Member's year of registration: [insert JV's Member year of registration] | | |
| 5 | 5. | Bidder's JV Member's legal address in country of registration: [insert JV's Member legal address in country of registration] | | |
| e | õ. | Bidder's JV Member's authorized representative information | | |
| ı | Nar | me: [insert name of JV's Member authorized representative] | | |
| 1 | Add | dress: [insert address of JV's Member authorized representative] | | |
| 7 | Telephone/Fax numbers: [insert telephone/fax numbers of JV's Member authorized representative] | | | |
| E | m | ail Address: [insert email address of JV's Member authorized representative] | | |
| | 7. | Attached are copies of original documents of [check the box(es) of the attached original documents] | | |
| | | Articles of Incorporation (or equivalent documents of constitution or association), and/or registration documents of the legal entity named above, in accordance with ITB 4.4. | | |
| | | In case of a state-owned enterprise or institution, documents establishing legal and financial autonomy, operation in accordance with commercial law, and that they are not under the supervision of the Service Provider. | | |
| 8 | 8. Included are the organizational chart, a list of Board of Directors, and the beneficial ownership. | | | |

8.3. Bidder Profile Form (For each Lot Separately)

- To be reproduced on the letter head, signed & stamped by the Bidder.
- To be attached with Technical Bid

| Sr.# | Particulars | | |
|----------------------------|-----------------------|--|--|
| 1. | Name of the company: | | |
| 2. | Registered Office: | | |
| Address: | | | |
| Office Telephone Number: | | | |
| Fax Number: | | | |
| 3. | Contact Person: | | |
| Name: | | | |
| Personal Telephone Number: | | | |
| Email Address: | | | |
| 4. | Local office if any: | | |
| Address: | | | |
| Office Telephone Number: | | | |
| Fax Number: | | | |
| 5. | Registration Details: | | |

a) Audited Financial Statement Attachment/Income Tax Return (Last 03 years) – or as applicable per the evaluation criteria

| Yes | No |
|-----|----|
|-----|----|

b) Details of Experience (Last 03 Years) – or as applicable per the evaluation criteria

| (i) | Similar Project (Agency/Department) | Item Name |
|------|-------------------------------------|-----------|
| | | |
| (11) | | |
| (ii) | Value of total Projects/Tenders/POs | Amount |
| | | |
| | | |

c) Staff Detail and last month Payroll - If applicable per the evaluation criteria

| Yes | No |
|-----|----|
|-----|----|

8.4. General Information Form (For each Lot separately)

[To be signed & stamped by the Bidder and reproduced on the letter head. To be attached with Technical Bid]

| | Particulars | |
|-------------------------------|--|-------|
| | | |
| Company Name | | |
| Abbreviated Name | | |
| | | |
| National Tax No. | Sales Tax Registration No | |
| | | |
| PRA Tax No. | | |
| No. of Employees | Company's Date of | |
| | Formation | |
| | | |
| *Please attach copies of NTN. | GST Registration, PRA Status, Professional Tax Certifi | icate |

| Registered Office | State/Province |
|-------------------|-----------------|
| Address | |
| | |
| City/Town | Postal Code |
| | |
| Phone | Fax |
| | |
| Email Address | Website Address |
| | |

8.5. Affidavit (For each Lot separately)

- To be printed on PKR 100 Stamp Paper, duly attested by oath commissioner or on the Official Letter-head.
- To be attached with Technical Bid

| Name: | | |
|-------------|--|--|
| (Applicant) | | |

I, the undersigned, do hereby certify that all the statements made in the Bidding document and in the supporting documents are true, correct and valid to the best of my knowledge and belief and may be verified by employer if the Employer, at any time, deems it necessary.

The undersigned hereby authorize and request the bank, person, company or corporation to furnish any additional information requested by the [name of Procuring Agency] of the Punjab deemed necessary to verify this statement regarding my (our) competence and general reputation.

The undersigned understands and agrees that further qualifying information may be requested and agrees to furnish any such information at the request of the [name of Procuring Agency]. The undersigned further affirms on behalf of the firm that:

- (i) The firm is not blacklisted from any Department.
- (ii) The documents/photocopies provided with Bid are authentic. In case of any fake/bogus document found at any stage. They shall be black listed as per Rules / Laws.
- (iii) Affidavit for correctness of information.
- (iv) Contractor/firm is not blacklisted or subject to any pending litigation in this regard, with any Government or Public Department.
- (v) The firm comply with Section III "Technical Specifications", and Section VII "Schedule of Requirements" of the Bidding Document.
- (vi) Compliance to the technical specifications of Electronics / Furniture / IT Equipment (all items) / Services to be procured mentioned vide Section – III "Technical Specifications/Scope of Services", and Section – VII "Schedule of Requirements" of the Bidding Document

[Name of the Contractor/ Bidder/ Service Provider] undertakes to treat all information provided as confidential.

Signed by an authorized Officer of the company

| Title of Officer: | |
|--------------------|--|
| Name of Company: _ | |
| Date: | |

8.6. Performance Guarantee Form (For each Lot separately)

| To, | | | | | | |
|--|--|---|---|--|--|---|
| [nan | ne and addres | s of the P | rocuring Ag | gency] | | |
| WHEREAS | (Name | of | the | Contractor/ hereinafter | Service called "the Cor | Provider) ntractor" has |
| procurement 1. [<i>Please in</i> | in pursuance at of the follow as sert details]. Ar called "the C | ing: | | O BID FOR THE "F | | |
| AND WHERI you with a l compliance AND WHERI THEREFORE Contractor, in words and the Contract sums as spe Guarantee) | EAS it has been bank guarante with the Contreme takes we have a WE hereby affup to a total of digures), and tor to be in decified by you | n stipulate by a scactor's pergreed to greed to | ted by you in the duled bater formance give the Corwell we are Guartake to particular the limits for needing. | in the Contract that nk for the sum spe obligations in accor ntractor a Guarantee arantor and respons y you, upon your fir ract, and without ca of to prove or to show | cified therein a dance with the e; sible to you, on (Amount of t est written demanderil | s security for Contract; behalf of the he guarantee and declaring t, any sum or _(Amount of |
| Signature | GUARANTOR] | | | | | |
| Title | | | | | | |
| Address | | | | | | |
| Seal | | | | | | |
| Dato | | | | | | |

8.7. Technical Bid Form

- Item names and quantities must be reproduced from Section III (Technical Specifications/Scope of Services). The bidder must include detailed implementation plan and relevant technical documentation such as brochures, designs, drawings etc as per SECTION VII. If any deviations are needed, it must be mentioned/quoted, separately in the Technical Proposal.
- Brand names of the quoted items must be clearly mentioned against each item in the BOQs.
- To be reproduced on the letter head, signed & stamped by the Bidder.
- To be attached with Technical Bid.

MUST BE PREPARED FOR EACH BOQ SEPARATELY

| Sr. No. | Description | Quantity | Quoted Brand | Offered Item Specifications |
|------------|-------------|----------|--------------|--------------------------------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

| Stamp | & | Signature of Bidder | |
|-------|---|---------------------|--|
| | | | |

8.8. Contract Form (For each Lot separately)

| THIS AGREEMENT made on the | day of | 20 | _ between [name of Procurin | ıg |
|--|------------------|-----------------------|-----------------------------|----|
| Agency] of [country of Procuring Agency] | (hereinafter | called "the Proci | uring Agency") on the on | e |
| part and [name of Service Provider] of | [city and counti | ry of Service Provide | er] (hereinafter called "th | e |
| Service Provider") on the other part | : | | | |

WHEREAS the Procuring Agency invited Bids for certain services, viz., [brief description of services] and has accepted a Bid by the Service Provider for the supply of those services in the sum of [contract price in words and figures] (hereinafter called "the Contract Price").

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
- 2. The following documents shall be deemed to form and be read and construed as part of this Agreement, viz.:
- (a) the Bid Form and the Price Schedule submitted by the Bidder;
- (b) the Schedule of Requirements;
- (c) the Scope of Services/Technical Specifications;
- (d) the General Conditions of Contract;
- (e) the Special Conditions of Contract; and
- (f) the Procuring Agency's Notification of Award.
- (g) Contract agreement
- (h) Complete Bid document
- 3. In consideration of the payments to be made by the Procuring Agency to the Service Provider as hereinafter mentioned, the Service Provider hereby covenants with the Procuring Agency to provide the services in accordance with the provisions of the Contract and as required under Section III Scope of Services / Specifications, and Section VII Schedule of Requirements/Work Plan/ Deputation Plan.
- 4. The Procuring Agency hereby covenants to pay the Service Provider in consideration of the provision of services, the Contract Price or such other sum as may become payable under the provisions of the contract at the times and in the manner prescribed by the contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with their respective laws the day and year mentioned above.

| Signed, sealed, delivered by | the | (for the Procuring |
|------------------------------|-----|--------------------|
| Agency) | | |
| | | |
| Signed, sealed, delivered by | the | (for the Service |
| Provider) | | |

8.9. Financial Bid Form/Price Schedule

- Item names and quantities must be reproduced from Section III (Technical Specifications/Scope of Services). If any deviations are needed, it must be mentioned/quoted, separately in the Financial Proposal.
- Brand names of the quoted items must be clearly mentioned against each item in the BOQs.
- To be reproduced on the letter head, signed & stamped by the Bidder.
- To be attached with Financial Bid.

MUST BE PREPARED FOR EACH BOQ SEPARATELY

| Sr. No. | Item name | Description | Unit price (inclusive of all taxes & duties etc.) | Quoted Brand | Quantity | Total price (inclusive of all applicable taxes & duties etc.) |
|------------|--------------|-------------|---|-----------------|----------|---|
| | | | | | | |
| | | | | | TOTAL | |

Total Bid value (against which a Bid shall be evaluated) in figure. Total Bid value (against which a Bid shall be evaluated) in words.

Note:

- (i) In case of difference between unit price and total price, unit price shall prevail and total price shall be "final". (Please refer ITB clause 2.5.6).
- (ii) In case of difference between amount in "words" and amount in "figures", amount in "words" shall be considered final.
- (iii) A bid not compliant to minimum wage rate (as notified by the government) or excluding applicable taxes and duties shall straight away be rejected.
- (iv) Price for the Optional Items, where required, should be quoted separately in the Financial Proposal.

| Stamp | & | Signature of Bidder | |
|-------|----|---------------------|--|
| Stamp | Ŏ, | Signature of Blader | |

8.10. Bid Security Form (For each Lot separately)

- To be reproduced on the letter head, signed & stamped by the Bidder.
- To be attached with Financial Bid.
- Copy of the Bid security instrument must be submitted with the technical proposal, and the original Bid Security instrument must be included within the Financial Proposal envelope

Whereas [name of the Bidder] (hereinafter called "the Bidder") has submitted its Bid dated [date of submission of Bid] for the supply of [name and/or description of the services] (hereinafter called "the Bid").

| KNOW ALL PEOPLE by these presents that WE [name of bank] of [name of country], having | our |
|---|-------|
| registered office at [address of bank] (hereinafter called "the Bank"), are bound unto [nam | ie of |
| Procuring Agency] (hereinafter called "the Procuring Agency") in the sum of for which paym | ent |
| well and truly to be made to the said Procuring Agency, the Bank binds itself, its successo | ors, |
| and assigns by these presents. Sealed with the Common Seal of the said Bank this | day |
| of20 | |

THE CONDITIONS of this obligation are:

- 1. If the Bidder withdraws its Bid during the period of Bid validity specified by the Bidder on the Bid Form; or
- 2. If the Bidder, having been notified of the acceptance of its Bid by the Procuring Agency during the period of Bid validity:
 - (a) fails or refuses to execute the Contract Form, if required; or
 - (b) fails or refuses to furnish the Performance Guarantee, in accordance with the Instructions to Bidders;

we undertake to pay to the Procuring Agency up to the above amount upon receipt of its first written demand, without the Procuring Agency having to substantiate its demand, provided that in its demand the Procuring Agency will note that the amount claimed by it is due to it, owing to the occurrence of one or both of the two conditions, specifying the occurred condition or conditions.

| This guarantee will remain in force up to and including thirty (30) days after the period of Bi |
|---|
| validity, and any demand in respect thereof should reach the Bank not later than the abov |
| date. |
| |

Section IX- Check List

(For each Lot separately)

- The provision of this checklist is essential prerequisite along with submission of Bid.
- Please fill **(YES, NO, N/A)** or **"Check Mark"** the relevant columns, and attach this Checklist on top of the Technical Proposal.

| Sr. No. | Description/Documents | Technical Proposal | Financial Proposal |
|------------|--|-----------------------|-----------------------|
| 1 | Joint Venture (JV) Agreement and Bidder s JV Member information as per form 8.2 (if applicable) | тороси. | т тороош |
| 2 | Copy of the Bid Security Instrument (Bank Guarantee, Bank call-deposit (CDR), Demand Draft (DD), Pay Order (PO) or Banker's cheque). | | |
| 3 | Original Bid form (as per form 8.1 of Bidding documents) on letter head of the firm, duly signed and stamped. | | |
| 4 | Bidder Information Form (as per form 8.3 of Bidding documents) on letter head of the firm, duly signed and stamped. | | |
| 5 | General Information Form (as per form 8.4 of Bidding documents) on letter head of the firm, duly signed and stamped. | | |
| 6 | Copy of Registration / Incorporation Certificate | | |
| 7 | Copy of Active Registration with Income Tax Authorities - National Tax Number (NTN) | | |
| 8 | Copy of Active Registration with Sales Tax Authorities (STRN) | | |
| 9 | Affidavit (as per form 8.5) on non-judicial Stamp Paper of Rs. 100/- or Official Letter-head: (i) The firm is not blacklisted from any Department. (ii) The documents/photocopies provided with Bid are authentic. In case of any fake/bogus document found at any stage. They shall be black listed as per Rules / Laws. (iii) Affidavit for correctness of information. (iv) Contractor/firm is not blacklisted or subject to any pending litigation in this regard, with any Government or Public Department. (v) The firm comply with Section – III "Technical Specifications", and Section – VII "Schedule of Requirements" of the Bidding Document. (vi) Compliance to the technical specifications of Electronics / Furniture / IT Equipment (all items) / Services to be procured mentioned vide Section – III "Technical Specifications/Scope of Services", and Section – VII "Schedule of Requirements" of the Bidding Document | | |
| 10 | Technical Bid Form (as per form 8.7 of Bidding documents) on letter head of the firm, | | |
| 11 | duly signed and stamped. Authorization Documents/Certificates/Licenses etc., as per the Evaluation Criteria | | |
| | Relevant Past Experience Documents, as per the Evaluation Criteria, on letter head of | | |
| 12 | the firm, duly signed and stamped. | | |
| 13 | All required samples (if demanded) have been submitted to [name of the Procuring Agency/Department/Team] or attached with the Technical Proposal. | | |
| 14 | Financial Bid Form (as per form 8.9 of Bidding documents) on letter head of the firm, duly signed and stamped. | | |
| 15 | Bid Security Form (as per form 8.10 of Bidding documents) | | |
| 16 | Original Bid Security Instrument (Bank Guarantee, Bank call-deposit (CDR), Demand Draft (DD), Pay Order (PO) or Banker's cheque). | | |

| Draft (DD), Pay Order (PO) or Ba | anker's cheque). |
|----------------------------------|------------------|
| | |
| | |
| | |
| Stamp & Signature of Bidder | |
| | |